

ଜିଲ୍ଲା ମୁଖ୍ୟ ଚିକିତ୍ସା ଓ ଜନ ସ୍ୱାସ୍ଥ୍ୟ ଅଧିକାରୀ, ସୁନ୍ଦରଗଡ଼

OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER: SUNDARGARH.

Notice No. 803 /CDM&PHO/SNG/Dt. 7.2.19

(ସମ୍ପୂର୍ଣ୍ଣ ଉନସ୍ଥାପନ ଏବଂ କମିଶନିଂ ଅଫ ଗ୍ୟାସ୍ ଲାଇନ ଫର ସେଣ୍ଟ୍ରାଲାଇଜେଡ ମେନିଫୋଲଡ ଆଫ ଡି.ଏଚ.ଏଚ, ସୁନ୍ଦରଗଡ଼)


The sealed tenders are invited from the willing Agency/Firm/NGOs to quote the rates for **supply, installation & commissioning of gas pipe line for centralized manifold at District HQr. Hospital, Sundargarh.** The bidders are requested to submit their sealed tenders to the office of the undersigned by Speed Post/Regd.Post/Courier Services only on or before dt. 20.02.2019 till 5 P.M. The said tenders will be opened on dt. 21.02.2019 at 12:00 A.M. and after due date & time any tender will not be entertained. The bidder must be super-scribed on the top-up envelope as "Application for **supply, installation & commissioning of gas pipe line for centralized manifold at DHH, Sundargarh** The tender shall be opened in presence of parties/agencies himself or their authorized representatives in the fixed date & time. The term & conditions can be down loaded from the district website- www.sundergarh.nic.in.

The undersigned reserves the right to accept/reject all the tenders without assigning any reason thereof.

Sd/-Dr.D.K.Sarangi,
Chief District Medical & Public Health Officer,
Sundargarh.


Memo No. 804 /CDM&PHO/SNG/dtd. 7.2.19

Copy forwarded to the District Informatics Officer, NIC, Sundargarh for information & necessary action. He is requested to upload the details term & conditions & item list & publish the same in the district website.


Chief District Medical & Public Health Officer,
Sundargarh.


Memo No. 805 /CDM&PHO/SNG/dtd. 7.2.19

Copy forwarded to the Dy. Director (Advertisement)-Cum-Secretary to Govt. I & P.R. Department, Odisha, Bhubaneswar for favour of information and necessary action. He is requested to publish the above advertisement as mentioned on the table.


Chief District Medical & Public Health Officer,
Sundargarh.

Memo No. 806 /CDM&PHO/SNG/dtd. 7.2.19

Copy to Notice Board of CDM&PHO/DHH, Sundargarh for information.


Chief District Medical & Public Health Officer,
Sundargarh.

DETAILS OF THE BIDDERS & LOCAL CONTACT PERSON

Details.	Corporate office (The address in which the purchase order and payment details will be communicated)	Local Contract person/Branch Office/ Service Center if any, In Odisha
Name & Full Address		
Telephone Nos., Landline Nos.		
Mobile		
Fax		
E-Mail		
Name of Bank with A/C No and Name of Beneficiary		
IFSC Code		

Signature of the tenderer:
With Seal



TERMS AND CONDITIONS

1. Sealed tenders will be received by dated up to 15 Days From date the of publication by the **Chief District Medical & Public Health Officer, SUNDARGARH** in the office of the CDM&PHO-SUNDARGARH, for the purchase Supply, installation and commissioning of Oxygen Gas Pipeline and manifold system. Any tender received after the due date & time will be rejected / returned to the sender unopened. The tenders will be received through Courier services / Speed Post/Regd Post only. No tender paper submission through the person/persons by hand is accepted.
2. The bidder(s) are to submit their tender in separate sealed covered envelopes for technical bid and price bid by super scribing Cover "A" (Technical Bid) & Cover "B" (Price Bid) and both the covers should be put into a third Cover, which should be super scribed as "Tender for the Supply, installation and commissioning of Medical Gas Pipeline and manifold system at DISTRICT HEAD QUARTER HOSPITAL, SUNDARGARH.
3. The Sealed tenders "Cover A" (Technical Bid) submitted by the tenderers will be opened at the office chamber of the CDMO at on . The tenderer or their duly authorized representatives are allowed to be present during the opening of the tenders if they so like.
4. No tender documents can be accepted after the expiry of scheduled date and time for receipt of bids.
5. The scope of work shall include Supply, Installation, Commissioning, & Satisfactory demonstration. This will also include testing, packing, transportation, scheduling of transportation, transit insurance, delivery at sites, unloading, storage, job site storage, insurance, installation any other services associated with the delivery of the equipment and materials providing warranty of services and operation and maintenance of other related equipment / items required for complete installation. The successful bidder will assume full responsibility of the complete system until final acceptance.
6. The bidders are required to have a survey including the site visit before furnishing the quotations.

ELIGIBILITY CRITERIA

1. Manufacturing units eligible to participate in the tender provided, they have
 - (i) Valid manufacturing license/import license
 - (ii) Valid ISO certificate.
 - (iii) Valid CE certificate as per Annexure II
 - (iv) Tenderer have must be minimum Eight numbers proof of supply, installation and commissioning of GAS pipeline system at any Govt, organization / PSU Hospitals //Corporate Hospitals (Not less than 250 Beded) Bidder Must be produce Performance certificate in support of that from the user in last 3 years in odisha .
 - (v) Manufacturing unit who has been blacklisted either by the Tender inviting authority or by any state Govt, or Central Govt, organization is not eligible to participate in the tender for that item during the period of blacklisting.
2. Authorized distributors are eligible to participate in the tender provided:
 - (i) They submit manufacturer's authorization and power of attorney to transact business on behalf of the manufacturer as per the format at Annexure - VIII. The authorized distributor may raise bill, if specially authorized by the manufacturer.
 - (ii) The authorized distributor will submit all the documents in support of eligibility of the manufacturer as mentioned in clause No. 1 along with the tender.
 - (iii) Bidders Should be minimum turn over not less than 50 Lakhs (fifty lakhs) Annual turnover of last three years .

The following documents should be enclosed in Cover "A" (Technical Bid) by the tenderer. All the photocopies are to be attested by a Notary Public / Gazetted Officer.



TECHNICAL BID :

- 3.1 Earnest Money Deposit of amounting 2% of the purchase price will be deposited by the supplying firm in shape of Demand Draft & in favor of RKS, DHH, Sundargarh for 1 year.
- 3.2 Copy of Valid Manufacturing License /Import License
- 3.3 Copy of Valid ISO certificate.
- 3.4 Copy of valid CE certificate as per Annexure-III
- 3.5 Copy of valid GST certificate
- 3.6 (A) The Original Tender Book with Conditions and the schedules signed by the tenderer at the bottom of each page with his official seal duly affixed.
(B) Leaflets, photographs & literatures relating to the product / item quoted and matching the specification of the tender in a tabular form.
- 3.7 The declaration form in Annexure -1 duly signed by the tenderer before Notary Public.
- 3.8 Proof of Such work minimum eight to any Govt, organization / PSU Hospitals / Corporate hospitals and certificate in support of that in last 3 years from the user
- 3.11 Bidders Should be minimum turn over not less than 50 Lakhs (fifty lakhs) Annual turnover of last three years .
- 3.9 Details name, address, telephone no., Fax, e-mail of the manufacturer / authorized distributor / service centre / contract person / office in Orissa (Annexure - VI).
- 3.10 Original money receipt of the tender paper if purchase from this office should be attached.

COVER - B (PRICE BID)

4. The tender format giving the quoted rate for the items on rate contract basis should be sent in a separate sealed cover hereafter called Cover "B" (Price Bid).
Cover -B (Price Bid) will be opened only of the tenderers who qualify in Technical Bid (Cover - A) and product is as per tender specification.
- 4.1 The tender format (Price Schedule) in duplicate in the prescribed form (as per Annexure - II), both hard copy and soft copy must be submitted in Cover-B. The price of the item should be quoted inclusive of excise duty, insurance, packing, forwarding, freight (door delivery), installation, warranty for 2 (two) years and AMC for 3 (three) years but exclusive of GST and entry tax charges, if any and the turnkey job in a separate column. The rate should be quoted for each item both in figures and words. In case of difference in words and figures, words will be taken into consideration for evaluation.
N.B: Valid means the certificate should be valid on or beyond the date of opening of tender (Cover-A).
- 4.2 The date of opening of Cover "B"(Price Bid) of the successful bidders will be intimated later on.



REJECTION OF TENDER

5. The tender paper will be rejected, if any of the following documents are wanting / not submitted

with the tender:

- (i) Manufacturing license/import license.
- (ii) The Authorized Distributor (have to submit the Authorization from the concerned manufacturing firm/importer.
- (iii) Valid CE certificate as per Annexure III
- (iv) Proof of supply/ installation minimum eight numbers of the items to any Govt, organization / Corporate Hospitals / PSU Hospitals / and certificate in support of that from last three years .
- (v) Price bid / quoted rate with signature and seal (Hard Copy) As per Annexure-II
- (Viii) Original Money Receipt of the Tender Paper (in case of tender paper purchased).

(Viii) Bidders Should be a service center in odisha last three years proof of registration is required .

Ix:- Bidder Should be similar work in medical gas pipeline system at odisha . any district head quarter hospital or any corporate sector .

- x. Bidders Should be minimum turn over not less than 50 Lakhs (fifty lakhs) Annual turnover of last three years .

6. Specifications:-

The quoted product should be recent one and as per the specification enclosed at Annexure -iii
Required catalogue on the product description should be attached with the tender.

7. Earnest Money Deposit:

8. Before installation & commissioning of the system in the facility the supplying agency is to submit the EMD as mention earlier in favor of RKS, DHH, Sundargarh in the shape of Demand Draft.

9. Performance Security:

- 1. 10% of the purchase order value will be submitted by the firm towards performance security within 21 days of receipt of purchase order in shape of Demand Draft (Prescribed format in Annexure-IV).
- 2. The Security deposit will be refunded to the firm after Warranty period over.



PRICE EVALUATION:

1. Tenderers who technically qualify will be evaluated only.
2. The cost of Item (inclusion of the excise duty, transportation, insurance, packing & forwarding & warranty for two (2) years and AMC of 3(three) years & but excluding GST & ET) + cost of the Turnkey job i.e. installation, cabling ,electrical fittings ,civil work etc, (including all taxes) taken together will be evaluated and the lowest bidder will be selected.
 1. Delivery and installation of each item should be completed within 60 days from the date of issue of purchase order falling which liquidated damage @ 0.5% per week shall be deducted from final payment, for each week of delay beyond the delivery period upto maximum of 2%.

10. Warranty:

1. All the items should be covered under two year's warranty from the date of installation & commissioning.
2. The approved suppliers has to submit an undertaking in non-judicial paper attested by Notary Public for 2 years warranty.(Annexure V)

11. Payment:

1. 100% payment shall be made after submission of stock entry certificate (s) duly certified by the concerned officer/installation & demonstration certificate/s and warranty certificate.
2. The approved value of AMC(Annual Maintenance Contract) payment will be made year wise after signing the AMC agreement.

12. General Conditions:

1. In the event of the date being declared as a holiday for the purchaser's office, the due date submission of bids and opening of bids will be the following working date & time.
2. The authority reserves the right to accept /reject all the bids or any part thereof without assigning any reason thereof.
3. No conditional tender will be accepted.
4. The qualified bidder, who according to terms and conditions will not supply and install the items in the stipulated time period and of specified quality, will be blacklisted from the purchase committee.
5. Any judicial matter will be finalized in SUNDARGARH Jurisdiction.



ANNEXURE-I

(Refer Clause No. 3.8 & 16.1)

DECLARATION FORM

We having our office at do declare that we have carefully read all the terms & conditions of tender of the **Chief District Medical & Public Health Officer Sundargarh**, Odisha for the supply, installation and commissioning of oxygen gas pipe line and manifold system. I will abide with all the terms & conditions set forth in the tender paper Reference no.

We do hereby declare We have not been de-recognised / black listed by any State Govt. / Union Territory / Govt. of India / Govt. organisation / Govt. Health Institutions for supply of Not of Standard Quality (NSQ) items / part-supply / non-supply.

We agree that the Tender Inviting Authority can forfeit the Earnest Money Deposit and or Security Deposit and blacklist me/us for a period of 2 years if, any information furnished by us proved to be false at the time of inspection / verification and not complying with the Tender terms & conditions.

We further declare that we possess valid manufacturing license /authorized distributor bearing no. valid upto Mar 2018. We do hereby declare that, we will supply the Gas pipeline and Mainfold system as per the terms, conditions & specifications of the tender document. We further declare that we have a service centre will establish a service centre within one month of installation of the equipment in Orissa.

Date:

Signature of the bidder :



To be submitted in Cover B - Price Bid

ANNEXURE-IIA

Name of the Item (Item mentioned in the schedule of requirement) (With Make & Model)	Specification (Section V)	Price of Gas Pipe Line System which includes excise duty / customs duty, packing, insurance, forwarding / transportation (door delivery) with 2 (two) years onsite warranty & excludes Cost in Rs. (both in words & figures)	AMC (excluding Service Tax) for three years after expiry of two years warranty period (please mention on yearly basis)	**Cost of Turnkey (all accessories for installation & commissioning including all taxes for turnkey in Rs. (Door delivery & installation))	Total Cost (Unit Price with AMC & Turnkey) (Exclusive of CST/VAT & ET)	GST & ET (if any) on & above the item price mentioned in (3) (Mention whether GST and ET, the % of tax & its value in Rs.)
(1)	(2)	(3)	(4)	(5)	6=3+4+5	7
1. Gas Pipe Line System			1 st year: 2 nd year: 3 rd year: Total			

MODEL TENDER FORMAT (PRICE SCHEDULE)

The Price break up of GAS PIPE LINE System and Manifold (as mentioned in Column 3 above) shall be furnished separately in Annexure II B

* The total cost shall be taken into account for evaluation. This will exclude the GST & ET if any. GST & ET which will be chargeable on the price (3) shall be mentioned separately in column 7 above.

** The cost of turnkey is required for installation & commissioning. For turnkey, the details of accessories/equipment are to be mentioned.

Date:

Place

Signature of the Bidder:

Name

Seal

PRICE BREAK UP OF THE PRICE OF GAS PIPELINE AND MANIFOLD AS MENTIONED IN THE COLUMN 3 OF THE PRICE SCHEDULE ANNEXURE IXA

Sl.	Name of the Item	Make/Model	Quantity	Unit Cost(Rs)	Total
1	Gas outlets [Terminal units] M70 type for		Each		
	1-Oxygen/Vacuum/Compressed Air /N2O		Each		
2	Medical grade copper tubes, fittings and fixtures. Gauges- O.D. Wall thickness of tube				
	15mm 0.9 OD		Per Mtr		
	22 mm x 0.9 OD		Per Mtr		
	28 MM X 0.9 OD		Per Mtr		
	42 MM X 1MM OD		Per Mtr		
	12 MM X 0.7MM OD		Per Mtr		
3	Zonal Isolation valves with pressure gauges(Oxygen/Vacuum/Air/N2O				
a	Zonal Isolation valves with pressure gauges 15 MM		Each		
b	Zonal Isolation valves with pressure gauges 22 MM				
c	Zonal Isolation valves with pressure gauges 28 MM				
d	Zonal Isolation valves with pressure gauges 42 MM				
4	Valve With Valve Box With Locking System 02 gases		Each		
	Valve With Valve Box With Locking System 03 gases				
	Valve With Valve Box With Locking System 04 gases				
5	Area Alarm System				
6	Master Alarm system-		Each		
7	Oxygen Manifold		Each		
8	Emergency Standby manifold ,Oxygen /N2O				
9	Semi Automatic Control Panel For Oxygen / N2O		Each		
10	Necessary accessories				
a.	Brass body Flow meters with humidifiers.		Each		
b.	Ward Vacuum Unit with 600 ml Humidity fire Bottle		Each		
13.	Pressure line adapter pins etc to be supplied in adequate numbers.		Each		
12	Compressed Air System (02 Nos Air Compressor,01 Nos Medical breathing Air Dryer)		Each		
13	Medical Vacuum System (Rotary vain Type 02 Nos of vacuum Pump with accessories)		Each		

Date :Place :

ANNEXURE - III-B
(Refer Clause No. 6)

TECHNICAL SPECIFICATION

1. Gas outlets (Oxygen/ Vacuum/Air/N2O)

- **Integral check valve.**
- All metal construction Individually tested & certified.
- Full range of mounting.
- **Manufacturer should be ISO certified.**

2. Medical grade copper tubes, fittings and fixtures:

- All copper pipes & fittings used should be made of phosphorous de-oxidized, non arsenical copper having ISI/ International Star marked flow meter of specified sizes.
- The chemical composition of tubes should confirm to BS6017: 1981 and manufactured as per BS-2871 or European standard of EN 1057.
- Copper pipes should be solid drawn seamless hard tempered & degreased for medical use.
- Copper to copper joints should be made on site using a silver copper phosphorus brazing alloy. Copper to brass or gun metal joints shall not be made on site.
- Pipe lines should be supported at the intervals specified in HTM 2022 using suitable metallic, non ferrous material. Plastic supports may be used only for the down drops to the terminal units.
- Fitting shall be end feed type, manufactured from the same grade of copper on the pipes and should confirm to BS864.
- Fittings shall be degreased suitable for oxygen use and supplied sealed in protective Polythene bags.

Gauges should be	O.D.	Wall thickness of tube
	12 mm	0.7mm
	15mm	0.9mm
	22mm	0.9mm
	28mm	0.9mm
	42MM	1.0 MM

- **Manufacturer should be ISO certified**

3. Zonal Isolation valves with pressure gauges:

- Full bore valves for minimum pressure loss.
- Non-lubricated with 90 degree turn ball valve with PTFE seals suitable for pipes of appropriate sizes.
- Should have pressure gauges at specified place to monitor pressure drop.
- Tested for double working pressure [120 PSI],
- For Oxygen, Air & Vacuum
- For Emergency point for Oxygen
- **Manufacturer Should be ISO/CE certified.**

4. **Alarm system:**

- Three gas alarm
- Individual gas status LED indicator-showing NORMAL, HIGH and LOW conditions for each service.
- Audio alarm Indicator by Piez electric buzzer.
- Alarm test / check / mute Facility needed.
- Working pressure display via digital gauges.
- Aesthetic design and Powder coated aluminum construction.
- **Manufacturer Should be ISO/CE certified.**

5. **Oxygen Manifold - to comply with relevant standards, with minimum maintenance:**

- 6X6 oxygen cylinder: Oxygen manifold should be suitable to withstand a pressure of 145 kg / cm².
- Copper Annealed tail pipes with Brass end adaptors suitable for Oxygen Cylinders and manifolds.
- Semi-automatic control panel board with visual alarm.
- Main pressure gauges should be easily visible for proper monitoring of cylinder as well as piped gas, pressure.
- **Manufacturer should be ISO /CE certified.**

6. **Emergency Standby manifold for medical oxygen:**

- To comply with relevant standards.
- 2 X 2x 7M3 oxygen cylinder manual manifold with good quality preset regulator.
- Should require minimum maintenance.
- **Manufacturer Should be ISO certified.**

7. **Necessary accessories:**

- Good quality suction jars with vacuum regulators complete with overflow protection.
- Brass body Flow meters with humidifiers.
- Pressure line adapter pins etc to be supplied in adequate numbers.
- **Manufacturer Should be ISO certified.**

8. **Semi Automatic Control Panel:**

- The control panel should be integrated with pressure gauges, regulators and control switching components which should be installed inside a cabinet to minimize tampering with regulators.
- The reserve bank should be Manually adjusted once the running bank reached near exhaustion to minimize supervision and to offer stability and safety.
- Should have 3 stage audio & visual warning in case of an emergency and has a pressure outlet of around 4.2kg/cm².Manufacturer Should be ISO/CE certified.

9. AIR COMPRESSOR WITH DRYER
Medical Air 4 bar &Surgical 7 Bar

The medical air system shall fully meets and complied with NHS Health Technical memorandum (HTM02-01)/ Medical quality air to the European Pharmacopoeia monograph shall be delivered at pressures of 800 kPa (8 bar) gauge for supply of the hospital medical or surgical air systems. The entire system shall be 'Duplex' such that any single functional component failure will not affect the integrity of the medical compressed air supply.

- A) No. of Compressors- 2 x 7.5 KW Lubricated Reciprocating Compressors, with Simplex Medical Dryer along air purification system.
- B) Air Receiver's 1 x 500 Liters capacity vertical air receiver.

- **Medical Breathing Air Dryer**

Air Dryer Should be delivers a dew point of +2' c as mandated by NFPA 99 .the dryspell medical dryers operates with the principle of pressure swing adsorption ,hence removes more moisture than a refrigeration air dryers , and it delivers moisture free dry air consistently irrespective of flow variation .

Based on medical application critically ,the package comes with one working and one stand by dryers .So there is no need to stop the air dryers for maintance ,Optional purge saving system saves purge air up to 60% for a typical hospital load 30 % to 40 % .Optional dewpoint and Co monitor enables to monitor dewpoint and co levels as mandated by NFPA 99 .

Salient Features:-

- Guaranteed de point performance
- Design simplicity
- No refrigerants used
- Purge saving & Dew point dependent control system
- Compact digital CO & Dew point Monitor /Alarm
- Air quality mandated by NFPA 99
- Bacterial Penetration upto 0.0001 %
- LED towers operation display indicating sequence of operation .

Air Receiver

Air receivers shall supplied with relevant test certificates. Non Standard/Float type drain valves will not acceptable. The receiver assembly shall be fitted with a pressure safety valve capable of passing the maximum flow output of the compressor at 10% receiver overpressure. The receiver shall be further protected by a safety pressure relief valve and include a pressure gauge.

10. MEDICAL VACUUM PLANT- 2011 LPM (Plant Output)

The medical vacuum system shall fully meets and complied with NHS Health Technical memorandum (HTM02-01)/. The Medical Vacuum System shall ensure the minimum pipeline vacuum level of 450mmHg is maintained at the plant service connection point at the rated volumetric 'free air' flow rate with two pumps in standby. The bacteria filtration system shall be 'duplexed' such that each filter can be isolated for replacement of the filter cartridge.

Vacuum pumps shall suitable for both continuous and frequent start/stop operation at nominal inlet vacuum levels of between 578mmHg and 728mmHg. Composite carbon fibre rotor blades shall be fitted to minimize the cost of maintenance. Rotors shall be driven by directly coupled TEFV electric motors. Pump inlets shall include a wire mesh filter and integral non-return valve to prevent oil suck back and pressure increases in the vacuum system. Each vacuum pump shall have an integral separator filter to ensure a virtually oil-free exhaust. Each pump shall be fitted with anti-vibration pads between the pump foot and mounting frame.

- A) **No. of Vacuum Pumps- 2 x 7.5 KW Oil Lubricated Rotary vane vacuum pumps with Duplex filtration system.**
- B) Vacuum Receiver's- 1 x 1000 (Total 1000Ltrs.) Liters or more capacity vertical vacuum receiver. Vacuum receiver(s) shall be supplied with relevant test certificates and have a total volume of at least 100% of the plant output in 1 minute in terms of free air aspired at normal working pressure.



ANEXURE-IV

Performance Security Bank Guarantee Format

-----[Bank's Name and Address of
issuing branch of Office]

Beneficiary: [Name and Address of the Purchaser]

Performance Guarantee No

We have been informed that [Name of the supplier] (hereinafter called "The Supplier" has entered into Contract No. [Reference No. of the Contract]) dated with you, for the supply of [description of items].

Furthermore, we understand that according to the conditions of the contract, a performance guarantee is required.

At the request of the supplier, we [name of the bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total amount of [amount in figures]..... [amount in words] Upon received by us of your first demand in writing accompanied by a written statement stating that the supplier is in breach of its obligation(s) under the contract, without your needing to prove or to show grounds for your demands or the sum specified therein.

This guarantee shall expire no later than theday of..... and any demand for payment under it must be received by us at this office on or before that date.

[(Signatures (s))]



ANNEXURE-X

(Refer clause no. 7.1.2)

AGREEMENT

THIS AGREEMENT IS MADE AT _____ THIS THE DAY OF _____ 2013

BETWEEN

Name of the Supplier with full address

Here in after called the "Supplier(s) _____" as 1st Party

AND

The CHIEF DISTRICT MEDICAL OFFICER, SUNDARGARH., SUNDARGARH (name of the District)

Health & F.W. Department, Govt. of Odisha Represented through the

_____ / THE CONSIGNEE
Here in after called the "PURCHASER" _____ as 2nd Party.

Relying on the documents and representation of facts connected to the issue of aforesaid parties to undertake the responsibilities of sell and purchase of following equipment(s) etc. with the terms & conditions hereinafter laid down.

And whereas the 2nd party "Purchaser(s)" is willing to purchase
Name of the Item:

Specifications: As per specifications laid down in the Tender terms & conditions

The Supplier(s) has agreed to sell the equipment(s) completed in all respects according to the Tender requirements and their / his offer dtd. _____ and the Supplier(s) has also agreed to install to make them operative at the destination mentioned in the Tender document with the following descriptions and their cost mentioned against each.

<u>Description of goods:</u>	<u>Offered Price</u>
<u>Total</u>	

The price / cost of the item also include the followings in addition to above.

1. Insurance
2. Freight
3. Transportation
4. Customs duty / Excise duty
5. Charges for documents, instructions manual, tools
6. F.O.R. at the destinations mentioned in the consignee list
7. Training to doctors & technicians.
8. Maintenance of the system includes all accessories supplied and their spare parts required during comprehensive warranty period of two year at free of cost from the date of successful installation and satisfactory functioning of the system at the site.
9. Installation and commissioning of the system by the Supplier's engineer at site.
10. Any other charges including loading & unloading, packing & forwarding etc. will be paid by the Supplier(s) till the completion of the installation and turnkey job if any.
AMC cost for next 3 (three) years after the warranty period shall be paid after completion of the warranty period (on a six monthly basis).

TERMS AND CONDITIONS PRICE :

Only the price quoted by the Supplier(s) in his / their financial proposal will be the price for payment and no other price escalation will be allowed at any circumstances.

TERMS FOR PAYMENT

100% Payment be released to the supplier on receipt of stock entry certificate and installation certificate (that it is working) from the consignee.

- A. Before release of payment the supplier has to submit the signed agreement, warranty documents of equipment and turnkey job to the consignee. The undertaking as per Annexure - V & VI will also be submitted to the consignee with photocopies to the purchaser.
- B. The payment of AMC will be made on six monthly basis after expiry of the warranty period and signing of the AMC agreement.

TURNKEY JOB:

The external power supply will be provided by the purchaser but the internal wiring and electrical fittings inside the room for installation & commissioning of the equipment and accessories will be provided by the supplier without any extra cost (This cost is to be included in the cost of turnkey).

UP-TIME BALANCE :

The Supplier (s) shall provide guarantee 95% uptime i.e. 41610 (95% of 43800 Hours) during comprehensive warranty period. The up time guarantee will be 95% as calculated here under i.e. 8322 hours per annum.

1 year - 365 days (24 working hours per day)

Total working time per annum - 365 days x 24 hrs = 8760 hrs.
Up time guarantee - 0.95 x 8760 hrs. = 8322 hrs. per annum.
For 2 years warranty = 8322 x 2 = 16644 Hours

Any uptime less than that specified above will be compensated by the Supplier(s). The consignee shall maintain a log-book in the format provided by the Supplier(s) which will indicate usage of the equipment every day and for calculation of up-time.

ANNUAL MAINTENANCE CONTRACT:

The supplier will provide AMC for 3 (three) years after the completion of 2 years comprehensive warranty period.

INSTALLATION AND DEMONSTRATION :

The installation and demonstration of the equipment shall be done by the Supplier(s) at free of cost at the installation site of the respective institutions.

TRAINING :

Supplier(s) shall impart adequate training to 2 doctors and 2 technicians at the site at the Supplier(s) cost.

PERT CHART :

Failure to stick to the pert chart will attract penal charges like forfeiture of performance security.

INCIDENTAL SERVICES :

The Supplier(s) shall abide by the terms and conditions under incidental services & the installation of Instrument / Equipment at the destination point (Door Delivery) of consignee and demonstrate the machine in working condition to the receiving authority.

Furnishing of tools required for assembly and / or maintenance of the supplied Instruments / Equipments.

Furnishing of detailed operations and maintenance manual literatures for each appropriate unit of supplied Goods.

Performance or supervision or maintenance and / or repair of the supplied Goods, for a period of two (2) years i.e. the warranty period, provided that this service shall not relieve the Supplier of any warranty obligations under this contract.

The successful supplier shall replace any part or whole system as may be necessary in the event of damage during transit or found damaged on arrival or during installation of the system or if found not in conformity to the specifications at his / their own cost.

The tenderer should furnish an undertaking to the effect that he / they should take responsibility after sales service of the equipments / instruments to be supplied by him / them and to provide spare parts for up keeping the Equipments / Instruments for a minimum period of 10 years from the date of installation.

The tenderers shall clearly mention the price of the instruments / equipments inclusive of warranty for a period of 2 (two) years commencing from the date of installation. The tenderers shall submit undertaking for A.M.C (Annual Maintenance Cost) for a period of 3 (three) years from 3rd year onwards duly signed by authorized signatories for the execution at appropriate time (Annexure - V & I).

SPARE PARTS:

The supplier will provide all the spare parts, repairing & maintenance by its trained personnel after the warranty period (2 years) during the AMC period.

COMPREHENSIVE WARRANTY :

This warranty shall remain valid for One (1) years from the date of installation & commissioning of the machine / item & must be submitted at the time of installation to the consignee with a photocopy to the purchaser.

The warranty will cover all the parts of the machine or item and any replacement or repair required within the warranty period will be provided by the supplier free of cost at the destination point (Installation point). The supplier will take back the replaced parts / goods at the time of their replacement. No claim whatsoever shall be on the purchaser for the replaced parts / goods thereafter. No traveling allowances or transportation cost will be paid by the purchaser during warranty period.

The Supplier warrants that the Goods supplied under this contract are new, unused, of the most recent or current models and they incorporate all recent improvements in design and materials (even if the advanced facilities are not mentioned in our product specification). The Supplier further warrants that all Goods supplied under this contract shall have no defect arising from design, materials or workmanship (except when the design and / or material is required by the Purchaser's Specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the place of final destination.

The Purchaser / consignee shall promptly notify the Supplier in writing / Fax / Telephone of any claims arising under this warranty.

Upon receipt of such notice, the Supplier shall with all responsible speed will repair or replace the defective goods or parts thereof without cost to the purchaser to maintain its UP TIME offered in the beginning of purchase otherwise penal provisions shall apply if the supplier fails to keep up its UP TIME.

If the Supplier, having been notified, fails to remedy the defect(s) within 10 days, the Purchaser may proceed to take such remedial action as may be necessary, like forfeiture of EMD or recovery from security deposit the amount of loss (which will be decided by CHIEF DISTRICT MEDICAL OFFICER, SUNDARGARH/C.M.O / S.D.M.O) incurred by the purchaser.

GOVERNING LANGUAGE:

The contract shall be written in English language. English language version of the contract shall govern its interpretation. All correspondences and other documents pertaining to the contract which are exchanged by the parties shall be written in English.

DELIVERY OF DOCUMENT

Four (4) copies of the Supplier invoice / bills showing purchase order number, good's description, quantity, unit price, total amount with stock entry certificate by the consignee.

Photocopy of the Insurance Certificate if any (The Original Certificate is to be given to the Consignee).

Attested Photocopy of Manufacturer's / Supplier's warranty certificate. (The original warranty certificate is to be submitted to the consignee at installation point).

INSURANCE :

For delivery of goods at site, the insurance shall be obtained by the Supplier(s) in an amount equal to 110% of the value of goods from "Warehouse" (final destination) on "All Risks" basis including natural calamities.

PACKAGING :

The supplier shall provide such packaging of the goods as is required to prevent their damage or deterioration during transit to their final destination. The packaging shall be sufficient to withstand without limitation rough handling during transit and exposure to extreme temperature, salt and precipitation during transit and upon storage. All primary packaging containers which come in contact with the item should strictly protect the quality and integrity of the Instruments & Equipments. Packing case size and weights should be taken into consideration, in case of remoteness of final destination and the absence of heavy handling facilities at all points in transit.

The packaging marking shall show the description of quantity of contents, the name of the consignee and address, the gross weight of the packages, the name of the supplier with a distinctive number of mark sufficient for purposes of identification. Each package shall contain:

- i. a packaging note quoting the name of the purchaser
- ii. the number and date of order
- iii. nomenclature of the goods
- iv. schedule of parts for each complete equipment giving part number with reference to assembly.
- v. Name & address of the consignee
- vi. Name & address of the supplier.

TERMS OF CONTRACT :

The Chief District Medical & Public Health Officer, SUNDERGARH will be at liberty to terminate the contract either wholly or in part without assigning any reason. The tenderers will not entitled to any compensation whatsoever in such terminations.



ANNEXURE-V

(Refer Clause No. 11.1 to 11.6,13.1)

WARRANTY / GUARANTEE /AMC UNDERTAKING (to be submitted on Rs.50/- stamp paper)

Tender ref. No. _____

Name of the equipment:

Date of Installation:

Name of the Consignee:

Name of the purchaser:

I / we / M/s _____

_____ hereby declare that

- i. I / we do Accept / Agree for the warranty / guarantee (2 years Warranty followed by 3 years AMC (Spares + Labour) as per this tender clause No. 11.1 to 11.6.
- ii. I / we will not charge / quote any extra price on account of the above said warranty / guarantee.
- iii. I / we do accept / agree to provide uptime guarantee 95% as per this tender clause No. 13.1.
- iv. The 2 year comprehensive warranty is valid from dt. _____ to dt. _____ .
- v. The 3 year AMC is valid from dt. _____ to dt. _____ .

Date:

Place:

Signature of the competent authority
on behalf of the company / firm.



ANNEXURE-VI

(Refer Clause No. 11.1 to 11.6 & 13.1)

UNDERTAKING (to be submitted on Rs.50/- stamp paper)

Tender ref. No. _____

Name of the equipment:

Date of Installation:

Name of the Consignee:

Name of the purchaser:

Sir, _____ hereby

I / we
declare that

1. I / we am / are the manufacturers / authorized agents / distributors of
2. I / we do accept / agree for the all clauses including the warranty 2 years followed by 3 years AMC) and payment terms and conditions of this tender.
3. I / we do hereby confirm that the prices / rates quoted are fixed and are at par with the prices quoted by me / us to any other Govt, of India / Govt, of Orissa Hospitals / Medical Institutions. I / we also offer to supply the stores at the prices and rates not exceeding those mentioned in the price bid.
4. I / we agree to abide by my / our offer for a period of 365 days from the date of approval of the tender.
5. I / we have necessary infrastructure for the maintenance of the equipment and will provide all the accessories / spares as and when required.
6. I / we also declare that in case of change of Indian Agent or for any other change, merger, dissolution solvency etc. in the organization of our foreign principles, we would take care of the Guarantee / warranty / maintenance of the machinery / equipment and have provided written confirmation for the same.
7. I / we shall provide assistance to the consignee in clearance and delivery of store at consignee's stores / premises.
8. The demurrage / storage charges, if any, payable to the customs department, due to non-receipt of required documents in time by the hospital / delay due to incorrect entries, mistakes to the documents etc. shall be borne by me / us.
9. I / we have carefully read and understood all the terms and conditions of the tender and shall abide by them.
10. I / we undertake to get the equipment's repaired within 48 hours of receiving of the complaint from the indenting hospital / consignee failing which a penalty @ 1% of the cost may be recovered from the performance security before releasing the same to us after 2 years warranty period.

Signature of the witness
Name & address

