

**Form – IV  
(See rule  
13)  
ANNUAL REPORT**


[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr Santosh Kumar Swain
	(ii) Name of HCF or CBMWTF	:	Rourkela Government Hospital
	(iii) Address for Correspondence	:	Rourkela Government Hospital
	(iv) Address of Facility	:	RGH Campus, Rourkela
	(v) Tel. No, Fax. No	:	0661-2400161
	(vi) E-mail ID	:	directorrrghrourkela@gmail.com
	(vii) URL of Website	:	NA
	(viii) GPS coordinates of HCF or CBMWTF	:	NA
	(ix) Ownership of HCF or CBMWTF	:	State Government
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 4588/SPCB/Authorization(biomedical waste) dt:13.04.2018/ IND-IV-BW-330 Valid upto: 31.03.2023
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 31.03.2023
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 400
	(ii) Non-bedded hospital	:	NA
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	NA
	(ii) No. of Beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	NA
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	NA
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	<i>Yellow A Category: 1- 10470.330 kg</i> <i>Yellow C Category: 2- 19803.580 kg</i> <i>Red Category: 28258.140 Kg</i> <i>White: 2860.598 Kg</i> <i>Blue Category: 13921.310 Kg</i> <i>General Solid Waste: 19898 7 kg</i>
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		

(i) Details of the on-site storage facility	:	Size: 300sq ft Capacity: 150 sqft Provision of on-site storage : (Cold storage or any other provision)-NA			
(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
		Incinerators	NA		
		Plasma Pyrolysis	NA		
		Autoclaves	NA		
		Microwave	NA		
		Hydroclave	NA		
		Shredder	NA		
		Needle tip cutter or destroyer	NA		
		Sharps	NA		
		Encapsulation or concrete pit	NA		
		Deep burial pits	NA		
		Chemical disinfection:	NA		
		Any other treatment equipment:	NA		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.)			
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	NA			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity generated	Where disposed	
	Incineration	NA			
	Ash	NA			
ETP Sludge	NA				
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		MEDIAD MARKETING SERVICES, BBSR			
(vii) List of member HCF not handed over bio-medical waste.		NA			

	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	YES
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management	2
	(ii) Number of personnel trained	429
	(iii) Number of personnel trained at the time of Induction	NA
	(iv) Number of personnel not undergone any training so far	NA
	(v) Whether standard manual for training is available?	YES
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	NA
	(ii) Number of persons affected	NA
	(iii) Remedial Action taken (Please attach details if any)	NA
	(iv) Any Fatality occurred, details	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems Installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	NA

Certified that the above report is for the period from 01<sup>st</sup> January, 2022-31<sup>st</sup> December, 2022

  
 27/02/2023.  
 Name and Signature of the Head of the  
 Institution **Director**  
**Rourkela Govt. Hospital**  
**Govt. of Odisha**

Date: 22/02/2023  
 Place Rourkela Govt. Hospital