



**OFFICE OF THE SUPERINTENDENT
GOVERNMENT MEDICAL COLLEGE & HOSPITAL, SUNDARGARH
At/Po-Sankara, Dist.-Sundargarh, Pin-770020, Odisha
email-sundargarhmchsuperintendent@gmail.com**



LETTER No. 3351 /GMCH,SNG.

Dated, 06/12/2024/

To,
The District eGov. Manager
Sundargarh.


Sub: Uploading the Tender Call Notice in Sundargarh District Website.

Sir,

Please find herewith the copy of Tender Call Notice issued by the undersigned for Supply of Instrument and Equipments to Central Store, Government Medical College & Hospital, Sundargarh.

It is requested to kindly upload the said Tender Call Notice in Sundargarh district Website sundargarh.odisha.gov.in for information of general public.

Yours Faithfully,


6.12.24
Superintendent,
Government Medical College
& Hospital, Sundargarh.

**Superintendent
Govt. Medical College & Hospital
SUNDARGARH**



OFFICE OF THE SUPERINTENDENT
GOVERNMENT MEDICAL COLLEGE & HOSPITAL, SUNDARGARH
At/Po-Sankara, Dist.-Sundargarh, Pin-770020, Odisha
E-mail: sundargarhmchsuperintendent@gmail.com



(HEALTH & F.W. DEPTT., GOVT. OF ODISHA)

**TENDER DOCUMENT FOR SUPPLY OF INSTRUMENTS AND EQUIPMENTS TO
GOVERNMENT MEDICAL COLLEGE AND HOSPITAL, SUNDARGARH FOR THE
YEAR-2024-25**

RFP Reference No. 3350 /GMCH, Sng.

Dated, 06/12/2024

1. DATE OF COMMENCEMENT & DOWNLODING OF THE BID DOCUMENT: **From Date.06.12.2024**
2. LAST DATE & TIME OF RECEIPT OF BID DOCUMENTS: **Date.26.11.2024 Up to 5.00 PM**
3. DATE & TIME OF PRE-BID DISCUSSION: **Date.16.12.2024 (11.30 AM)**
4. DATE & TIME OF OPENING OF TECHNICAL BID: **Date.27.12.2024 (11.30 AM)**
5. DATE & TIME OF OPENING OF FINANCIAL BID: **will be intimated Letter**
6. PLACE OF OPENING OF BID DOCUMENTS AND ADDRESS
FOR COMMUNICATION AND RECEIPT OF BID DOCUMENTS:

**O/o Superintendent
Govt. Medical College & Hospital
District-Sundargarh-770020**


06/12/24
Superintendent,
Government Medical College
& Hospital, Sundargarh
Superintendent
Govt. Medical College & Hospital
SUNDARGARH



**OFFICE OF THE SUPERINTENDENT
GOVERNMENT MEDICAL COLLEGE & HOSPITAL, SUNDARGARH
At/Po-Sankara, Dist.-Sundargarh, Pin-770020, Odisha
email-sundargarhmchsuperintendent@gmail.com**



LETTER No. 3350 /GMCH,SNG.

Dated, 06/12/2024


TENDER CALL NOTICE

Sealed tenders are hereby invited from Registered and Reputed Manufacturers / Authorized Agencies/Supplier Authorised Distributors / Dealers / Stockists / firms for **Supply of Instruments and Equipments to Government Medical College and Hospital, Sundargarh**. The bid document containing the terms and conditions regarding Tender call notice please log on to the district web site www.sundargarh.odisha.gov.in & college web site www.gmchsng.odisha.gov.in .

Modification/Corrigendum, if any detected/felt necessary at a later stage will be duly published and noticed in the above website. Hence the bidders are advised to check the official website of the Govt. Medical College & Hospital, Sundargarh & Sundargarh district website.

Last date of submission of tender is **26.12.2024 by 05:00 PM**. No tender will be received after due date and time. The bidders have to submit sealed tender papers by the due date only by Speed Post/Regd. Post/Courier in the **office of the Superintendent, Govt. Medical College & Hospital, Sundargarh, At-Talsankara, Po-Sankara, Ps-Town Sundargarh, Dist-Sundargarh, Odisha, Pin-770020**.

Superintendent, Govt. Medical College & Hospital, Sundargarh reserves the right to accept or reject any or all the tenders without assigning any reason thereof.


06/12/24
Superintendent,
Government Medical College
& Hospital, Sundargarh

**Superintendent
Govt. Medical College & Hospital
SUNDARGARH**

Terms and Conditions

1. The bidder(s) are to submit their bid documents in separate sealed covered envelopes for Technical Bid and Price Bid by superscribing **Cover 'A' (Technical Bid)** and **Cover 'B' (Price Bid)** & both the sealed covers envelop should put into a third outer cover envelope which should be superscribed as "**TENDER DOCUMENT FOR SUPPLY OF INSTRUMENTS AND EQUIPMENTS TO GOVERNMENT MEDICAL COLLEGE AND HOSPITAL, SUNDARGARH FOR THE YEAR-2024-25**" with the **RFP No. & Date**. All the pages of the tender papers should be duly endorsed by the bidder with seal.
2. The authority is not responsible for any type of postal delay. Sealed bids documents should reach to the office of the **Superintendent, Govt. Medical College & Hospital, Sundargarh, At-Talsankara, Po-Sankara, Ps-Town Sundargarh, Dist-Sundargarh, (Odisha), Pin-770020. on before 26.12.2024 up to 05:00 PM**. Any Tender paper received after the due date and time will be rejected/returned to the sender unopened. The tender paper will be received through **Speed Post/Regd. Post/Courier** only. No physical tender papers will be received by hand.
3. The sealed bid documents will be opened in the presence of the members of Purchase committee and the bidder or their duly authorized representatives. In case the scheduled date is declared Holiday the tenders shall be opened on next working day.
4. The tender documents should be clearly written/types without any correction, interpolations and overwriting. Each page of the tender should bear the signature & stamp of the tenderer.
5. All copies of the tender document should be serially numbered, self-attested and stamped. If any information or documents furnished by the tenderer are found to be incorrect or misleading at any stage, the tender will not be considered for evaluation and shall be rejected.

Tender processing Fee, EMD and Performance Security

1. Tender Fee of **Rs.3,000/- Rupees (Three Thousand)** only (Non-refundable) should be submitted in shape of Demand Draft issued from a Nationalized Bank in favour of **SUPERINTENDENT GMCH SNG MISC AC (SBIN0064550)** payable at Sundargarh.
2. **EMD of Rs.50,000/- (Rupees Fifty thousand only)** should be submitted in shape of Demand Draft issued from a Nationalized Bank in favour of **SUPERINTENDENT GMCH SNG MISC AC (SBIN0064550)** payable at Sundargarh. However, the EMD of the unsuccessful bidders will be returned after completion/finalization of the tender process and for successful bidders the EMD amount will be kept as Performance security. The performance security amount will be returned without interest after completion of the tender tenure with satisfactory performance.
3. In case of selected Local MSME manufacturer having valid MSME certificate (Category-Manufacturer), who have claimed exemption of EMD, have to deposit **Performance Security of 50,000/- (Rupees Fifty thousand only)** in shape of DD/Bank Guarantee in favour of **SUPERINTENDENT GMCH SNG MISC AC (SBIN0064550)** payable at Sundargarh within 15 days of supply order. The Performance Security amount will be returned after completion of tender tenure.

M. Mohanta
6/12/24

Technical bid

1. Bidder (Manufacturer/Distributor) should have proof of supply of at least 3 Nos of the quoted Instruments and Equipments to any Govt. Hospital/Govt. Institution/Corporate Hospital/PSU Hospital/UN Agency during last three financial years **(2021-2022, 2022-2023 & 2023-2024)**. The experience/ End User Certificate in support of supply must be submitted along with the bid document.
2. Proof of Annual Turnover of Bidder (Manufacturers/Distributors) of **Rs.50 lakh** or more during the financial years **(2021-2022, 2022-2023 & 2023-2024)** taken together from a registered Chartered Accountant shall be submitted as per format annexed at **Annexure-VIII**.
3. Copy of GST Return for the last Quarter shall be submitted.
4. The copy of the Audited financial statement by Registered **Chartered Accountant including ITR, Balance Sheet and Profit & Loss A/c.** showing for the last three financial years **(2021-2022, 2022-2023 & 2023-2024)** shall be submitted.
5. Copy of valid up to date **MSME Certificate** should be attached with tender documents.
6. Copy of Valid **ISO Certificate** of the Manufacturer/Authorised Supplier/Agency should be attached with tender documents.
7. Copy of Valid **CE (Conformite Europeenne) Certificate** of the Manufacturer/Authorised Supplier/Agency should be attached with tender documents.
8. Copy of valid **GST Registration Certificate** should be attached with tender documents.
9. Copy of Valid **PAN Card** should be attached with tender documents.
10. The Bidder should have the valid **Manufacturer/Authorised Supplier/Agency/Distributor Certificate** for Supply of Instrument and Equipments.
11. Copy of Valid **License of the Manufacturer/Authorised Supplier/Agency** should be attached with tender documents.
12. Tenders will be evaluated as per the specification mentioned in the list of items attached in List Items **Annexure-I** and Price Bid will be opened only for the bidders who qualify in the Technical Bid. The cost of the unit item including GST will be evaluated/ Compared.
13. Copy of the declaration as per format **Annexure-V** should be attached with the tender documents.
14. The tenderer should submit/furnish a Undertaking Certificate (**as per Annexure-VII**) in the tender to the effect that, "the price quoted by them is not more than the open market price or also under GEM rate contract where such rate exists". However, in circumstances when the price decreases during the contract period, the approved supplier, should intimate the same to the purchasing authority.

Price bid

1. The tender format (Price Bid) in the prescribed format (**as per Annexure-IV**), must be maintained items list Sl. No and submitted inside sealed price Bid cover. The rate should be quoted for each item in figures only and not in words. Only two decimal points (paise) will be taken into consideration ignoring the rest digits. Hand written price bid are not accepted.
2. The rate should be mentioned excluding GST. The GST (in %) & Total amount for each item should be mentioned in a separate column in the same sheet.
3. Price/Rate should be quoted as per the detail given in the list of items, if multiple rates quoted for single items, then that rate will not be taken into consideration.

Parade
6/12/24

Supply and Delivery

1. If any items found to be defective/damage/not of standard quality, the same shall be replaced by the supplier at his own cost within a maximum duration period of 30 days and take back the unused/defective available stock from the Central Store. In case the supplier fails to replace the stocks within the stipulated time period, the performance security will be forfeited. No further purchase order will be placed to the Authorised agency/firm/supplier for the items.
2. Delivery shall be made at Central Store, Superintendent GMCH, Sundargarh.
3. The goods should be supplied to the Freight on Road (FOR) Destination and no extra charge for freight should be claimed.
4. Rates quoted shall remain valid for a period of one year from the date of finalization of the tender.
5. CE (Conformite Europeenne) Certification logo on the body of the instrument must be present.
6. Manufacturer Name/Logo on the body of the instrument must be present.

Evaluation

1. The technically qualified bidder quoting the lowest rate for each items will be selected as L₁ bidder for award of contract and next qualified bidder quoting next higher rate will become L₂, L₃.....accordingly.
2. If the approved lowest eligible supplier fails to supply items within 15 days of receiving supply order, the same shall be procured from the L₂ suppliers at L₁ rate, if they agree to supply at L₁ approved rate to meet the emergency requirement.

Payment

1. Bills in triplicate for the items supplied by the selected firm(s), should be raised for payment. Payment shall be released after deducting TDS as per GST & Income Tax Rules and any other deductions as per Government rules only after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office and accepted.
2. 100% payment shall be made after submission of stock entry certificate from the concerned authority and as per the availability of fund.

Penalties

1. The material should be good quality and durability. The selection will be made on quality followed by price. Selection of the items by the committee members is final.
2. Sample test should be done if required by the committee members.
3. If any product after use found to be "not of Satisfactory Quality/ Not as per the Parameter/ Not as per Sample" such item will be declared as "Not of Satisfactory Quality" on the basis of the report of the concerned user. The said product shall be frozen. The supplier has to replace fresh stock as per the purchased quantity and take back the frozen stock. In case the supplier fails to replace the stocks within the time frame fixed by the authorities. Penalty shall be imposed as deemed fit.

Parid
6/12/24

General Condition

1. No claim shall be against the Superintendent, Govt. Medical College & Hospital, Sundargarh in respect of interest on earnest money deposit or security deposit or any delayed payment or any other deposit.
2. If there is any typographical error in the tender documents the decision of Superintendent, Govt. Medical College & Hospital, Sundargarh is final.
3. According to our requirement supply order will be given.
4. The Institute reserves the right to accept in part or in full or reject any or more Tender/offer without assigning any reasons or cancel the tendering process and reject all Tender at any time prior to award of contract, without accepting any liability, whatsoever.
5. Jurisdiction: All disputes are subject to the jurisdiction of Sundargarh courts only.

IMPORTANT INSTRUCTIONS TO BE NOTED CAREFULLY BY THE TENDERERS

1.	Mode of Procurement	Through Open Tender
2.	Purchaser	Superintendent, Govt. Medical College & Hospital, Sundargarh.
3.	Consignee	Deputy Medical Superintendent (Store), Govt. Medical College & Hospital, Sundargarh.
4.	Delivery Period	Within 15 days from issue of Purchase Order.
5.	Mode of Delivery	By Air/Road/Rail
6.	EMD	Rs.50,000/- Rupees (Five Thousand) only per tender. The Earnest Money Deposit should be in the shape of Demand Draft/Banker's Cheque only in favour of SUPERINTENDENT GMCH SNG MISC AC , Sundargarh drawn in any Nationalized Bank/Scheduled Payable at Sundargarh.
7.	Performance Security	Performance Security of 50,000/- (Rupees Fifty thousand only) in shape of DD/Bank Guarantee in favour of SUPERINTENDENT GMCH SNG MISC AC (SBIN0064550) payable at Sundargarh within 15 days of supply order. The Performance Security amount will be returned after completion of tender tenure. The Security Deposit is to be refunded after completion of the validity period of the Tender or 1 year from the supply of such items whichever is earlier without any interest. The Security Deposit will be forfeited in the followings cases:- <ol style="list-style-type: none">I. Any violation of the terms & conditions of Tender.II. If the items supplied is not of Standard quality.III. Blacklisting of the Agency/Supplier.IV. Access payment if done wrongly.

Parade
6/12/24

ANNEXURE-I

SL. NO.	NAME OF THE ITEMS	SPECIFICATION	UNIT
1	STETHOSCOPE (ADULT & PAEDIATRIC)	<p>1-STETHOSCOPE OF STANDARD SIZE, CHROMIUM PLATED METAL BINAURAL, V RUBBER TUBE IN ONE PIECE AND ROTATING PIPER FITTING FOR BOTH FLIP FUNCTIONS.</p> <p>2-DOUBLE SIDED ADULT & PAEDIATRIC STETHOSCOPE.</p> <p>3-EXTRA-SOFT, REPLACEABLE AND PIVOT ABLE EAR-TIPS FOR PERFECT SEALING AT THE EAR CANAL.</p> <p>4-DESIGNED WITH PRECISION CHEST-PIECE MADE OF STAINLESS STEEL/ CHROMED BRASS.</p> <p>5-GOOD QUALITY DIAPHRAGM OF MAXIMUM -Ø 45MM.</p> <p>6-HIGH QUALITY MEMBRANE FOR PRECISE ACOUSTICS WITH NON-CHILL RIMS FOR IMPROVED ADAPTATION ON THE SKIN AND FOR EXCELLENT SOUND TRANSMISSION.</p> <p>7-LENGTH SHOULD BE 27" TO 29" WITH COLOUR BLACK.</p> <p>8-THE Y-TUBE SHOULD BE MADE OF LATEX FREE TREATED RUBBER. EASY TO DISMANTLE, AND THEREFORE TO CLEAN AND DISINFECT.</p> <p>PHYSICAL CHARACTERISTICS:1-DIMENSIONS (METRIC)- DIAPHRAGM SIZE AS SPECIFIED.2-WEIGHT (LBS, KG)-WEIGHT: 110-150 GM.3-MOBILITY, PORTABILITY-YES.</p> <p>ACCESSORIES, SPARE PARTS, CONSUMABLES: I. ACCESSORIES (MANDATORY, STANDARD, OPTIONAL)- I X SPARE SET OF EARPIECE, I X SPARE DIAPHRAGM</p>	1 NOS
2	STETHOSCOPE	NEONATAL	1 NOS
3	SPYGMOMANOMETER DIGITAL	ADULT	1 NOS
4	SPYGMOMANOMETER ANEROID	ADULT	1 NOS
5	SPYGMOMANOMETER DIGITAL	NEONATAL	1 NOS
6	SPYGMOMANOMETER DIGITAL	PAEDIATRIC	1 NOS
7	GLUCOMETER	GLUCO SPARK	1 NOS
8	THERMOMETER	DIGITAL	1 NOS
9	THERMOMETER	INFRARED	1 NOS
10	STADIOMETER	ADULT	1 NOS
11	STADIOMETER	PAEDIATRIC	1 NOS
12	INFANTOMETER		1 NOS
13	PULSE OXYMETER	FINGER TIP	1 NOS
14	WEIGHING MACHINE (DIGITAL)	ADULT	1 NOS
15	WEIGHING MACHINE (MANNUAL)	ADULT	1 NOS
16	WEIGHING MACHINE (DIGITAL)	PAEDIATRIC	1 NOS
17	WEIGHING MACHINE (MANNUAL)	PAEDIATRIC	1 NOS
18	BEDSIDE LOCKER	STAINLESS STEEL	1 NOS
19	I.V STAND	SS WITH ATTACHED WHEEL	1 NOS
20	CRASH CART	SS WITH ATTACHED WHEEL	1 NOS
21	INSTRUMENT TROLLEY	SS WITH ATTACHED WHEEL	1 NOS

M. B. B. B.
6/12/24

22	DRESSING TROLLEY	1-OVERALL APPROX. SIZE- 760MMLX500MMWX900MMH, 2-APPROXIMATE SHELF DIMENSION 750MMLX500MMW, 3- TUBULAR CRC FRAME MOUNTED ON FOUR CASTORS OF MINIMUM 100MM DIA AND SHOULD BE MADE OF STAINLESS STEEL. 4-TWO S.S. OF 304 GRADE SHELVES WITH PROTECTIVE RAILING ON THREE SIDES. 5-SHOULD HAVE PROVISION FOR HOLDING BOWEL AND BUCKET. 6- SHOULD BE PROVIDED WITH HEAVY DUTY SS BOWL & SS BUCKET OF THICKNESS 20G.	1 NOS
23	INSTRUMENT TRAY WITH COVER	BIG, SS	1 NOS
24	INSTRUMENT TRAY WITH COVER	MEDIUM, SS	1 NOS
25	INSTRUMENT TRAY WITH COVER	SMALL, SS	1 NOS
26	DRESSING DRUM	SS, SIZE- 15X12	1 NOS
27	DRESSING DRUM	SS, SIZE- 11X9	1 NOS
28	DRESSING DRUM	SS, SIZE- 6X6	1 NOS
29	KIDNEY TRAY	SS, SIZE- BIG	1 NOS
30	KIDNEY TRAY	SS, SIZE- MEDIUM	1 NOS
31	KIDNEY TRAY	SS, SIZE- SMALL	1 NOS
32	GALLIPOT	SS, SIZE-3"	1 NOS
33	GALLIPOT	SS, SIZE-4"	1 NOS
34	GALLIPOT	SS, SIZE-5"	1 NOS
35	GALLIPOT	SS, SIZE-6"	1 NOS
36	LUMBAR PUNCTURE TRAY	SS	1 NOS
37	CHITTLE FORCEP STAND	SS	1 NOS
38	CHITTLE FORCEP	SS, SIZE- 12"	1 NOS
39	CHITTLE FORCEP	SS, SIZE- 10"	1 NOS
40	ARTERY FORCEP STRAIGHT	SS, SIZE- 4"	1 NOS
41	ARTERY FORCEP STRAIGHT	SS, SIZE- 8"	1 NOS
42	ARTERY FORCEP STRAIGHT	SS, SIZE- 6"	1 NOS
43	ARTERY FORCEP CURVED	SS, SIZE- 4"	1 NOS
44	ARTERY FORCEP CURVED	SS, SIZE- 8"	1 NOS
45	ARTERY FORCEP CURVED	SS, SIZE- 6"	1 NOS
46	PLAIN FORCEP	SS, SIZE- 8"	1 NOS
47	PLAIN FORCEP	SS, SIZE- 6"	1 NOS
48	ALLIS FORCEP STRAIGHT	SS, SIZE- 8"	1 NOS
49	ALLIS FORCEP STRAIGHT	SS, SIZE- 6"	1 NOS
50	ALLIS FORCEP CURVED	SS, SIZE- 8"	1 NOS
51	ALLIS FORCEP CURVED	SS, SIZE- 6"	1 NOS
52	ALLIS FORCEP STRAIGHT	SS, SIZE- 4"	1 NOS
53	ALLIS FORCEP CURVED	SS, SIZE- 4"	1 NOS
54	SPONGE HOLDING FORCEP STRAIGHT	SS, SIZE- 8"	1 NOS
55	SPONGE HOLDING FORCEP STRAIGHT	SS, SIZE- 6"	1 NOS

P. Parrot
6.12.24

56	SPONGE HOLDING FORCEP CURVED	SS, SIZE- 8"	1 NOS
57	SPONGE HOLDING FORCEP CURVED	SS, SIZE- 6"	1 NOS
58	MOSQUITO ARTERY FORCEP STRAIGHT	SS, SIZE- 8"	1 NOS
59	MOSQUITO ARTERY FORCEP STRAIGHT	SS, SIZE- 6"	1 NOS
60	MOSQUITO ARTERY FORCEP CURVED	SS, SIZE- 8"	1 NOS
61	MOSQUITO ARTERY FORCEP CURVED	SS, SIZE- 6"	1 NOS
62	BABCOCK FORCEP STRAIGHT	SS, SIZE- 8"	1 NOS
63	BABCOCK FORCEP STRAIGHT	SS, SIZE- 6"	1 NOS
64	BABCOCK FORCEP CURVED	SS, SIZE- 8"	1 NOS
65	BABCOCK FORCEP CURVED	SS, SIZE- 6"	1 NOS
66	BABCOCK FORCEP STRAIGHT	SS, SIZE- 10"	1 NOS
67	TOOTH FORCEP STRAIGHT	SS, SIZE- 8"	1 NOS
68	TOOTH FORCEP STRAIGHT	SS, SIZE- 6"	1 NOS
69	TOOTH FORCEP CURVED	SS, SIZE- 8"	1 NOS
70	TOOTH FORCEP CURVED	SS, SIZE- 6"	1 NOS
71	TISSUE FORCEP STRAIGHT	SS, SIZE- 8"	1 NOS
72	TISSUE FORCEP STRAIGHT	SS, SIZE- 6"	1 NOS
73	TISSUE FORCEP CURVED	SS, SIZE- 8"	1 NOS
74	TISSUE FORCEP CURVED	SS, SIZE- 6"	1 NOS
75	MAGILL FORCEP ADULT	SS, SIZE-6"	1 NOS
76	MAGILL FORCEP ADULT	SS, SIZE-8"	1 NOS
77	MAGILL FORCEP PAEDIATRIC	SS, SIZE-3"	1 NOS
78	MAGILL FORCEP PAEDIATRIC	SS, SIZE-4"	1 NOS
79	OUTLET FORCEP	SS	1 NOS
80	PPIUCD INSERTION FORCEP	SS	1 NOS
81	VULSELLUM FORCEP	SS	1 NOS
82	OVUM HOLDING FORCEP	SS	1 NOS
83	UTERINE PACKGING FORCEP	SS, SIZE-6"	1 NOS
84	UTERINE PACKGING FORCEP	SS, SIZE-8"	1 NOS
85	LOW & MID CAVITY FORCEP	SS	1 NOS
86	NASAL DRESSING FORCEP	SS	1 NOS
87	AURAL DRESSING FORCEP	SS	1 NOS
88	DESJARDIN FORCEP	SS	1 NOS
89	RIGHT ANGLE FORCEP METALLIC	SS, LARGE	1 NOS
90	RIGHT ANGLE FORCEP METALLIC	SS, SMALL	1 NOS

Pratik
5/12/24

91	COCKERS FORCEP STRAIGHT	SS, SIZE-6"	1 NOS
92	COCKERS FORCEP STRAIGHT	SS, SIZE-8"	1 NOS
93	BABY FORCEP	SS	1 NOS
94	RETRACTORS		1 NOS
95	NEEDLE HOLDER	SS, SIZE- 8"	1 NOS
96	NEEDLE HOLDER	SS, SIZE- 6"	1 NOS
97	NEEDLE HOLDER	SS, SIZE- 4"	1 NOS
98	NEEDLE HOLDER FINE TIP	SS, SIZE- 4"	1 NOS
99	NEEDLE HOLDER HEAVY	SS, SIZE-6"	1 NOS
100	NEEDLE HOLDER HEAVY	SS, SIZE-8"	1 NOS
101	AMPULE/VIAL CUTTER		1 NOS
102	TONGUE DEPRESSOR	SS, SIZE- BIG	1 NOS
103	TONGUE DEPRESSOR	SS, SIZE- SMALL	1 NOS
104	TONGUE DEPRESSOR CURVED	SS, SIZE- BIG	1 NOS
105	SURGICAL SCISSOR	SS, SIZE- BIG	1 NOS
106	SURGICAL SCISSOR	SS, SIZE- MEDIUM	1 NOS
107	SURGICAL SCISSOR CURVED	SS, SIZE- MEDIUM	1 NOS
108	STITCH CUTTING SCISSOR	SS, SIZE- 8"	1 NOS
109	STITCH CUTTING SCISSOR	SS, SIZE- 6"	1 NOS
110	STITCH CUTTING SCISSOR	SS, SIZE- 4"	1 NOS
111	MAYO DISSECTING SCISSOR STRAIGHT	SS, SIZE- 6"	1 NOS
112	MAYO DISSECTING SCISSOR STRAIGHT	SS, SIZE- 8"	1 NOS
113	MAYO DISSECTING SCISSOR CURVED	SS, SIZE- 6"	1 NOS
114	MAYO DISSECTING SCISSOR CURVED	SS, SIZE- 8"	1 NOS
115	TISSUE CUTTING SCISSOR	SS	1 NOS
116	METZ CUTTING SCISSOR STRAIGHT 10"	SS, SIZE- 10"	1 NOS
117	METZ CUTTING SCISSOR STRAIGHT 6"	SS, SIZE- 6"	1 NOS
118	METZ CUTTING SCISSOR CURVED 10"	SS, SIZE- 10"	1 NOS
119	METZ CUTTING SCISSOR CURVED 6"	SS, SIZE- 6"	1 NOS
120	REVOLVING/ PATIENT STOOL	STAINLESS STEEL	1 NOS
121	KNEE HAMMER	STAINLESS STEEL	1 NOS
122	STEEL BOWEL	MEDIUM,SS	1 NOS
123	STEEL BOWEL STAND	MEDIUM, SS	1 NOS
124	STEEL BOWEL	BIG, SS	1 NOS
125	STEEL BOWEL STAND	BIG,SS	1 NOS
126	MAGNIFYING GLASS	STAINLESS STEEL	1 NOS
127	TOWEL CLIP	SATINLESS STEEL	1 NOS

128	PORTABLE VIDEO LARYNGOSCOPE WITH LARYNGOSCOPE BLADES	<p>1)RECEIVES IMAGES FROM DISTAL TIP OF VIDEO ADAPTOR AND DISPLAYS IMAGE ON INTEGRATED FULL-COLOUR ANTI-GLARE SCREEN.</p> <p>2) PORTABLE- BATTERY OPERATED.</p> <p>3) RIGID VIDEO LARYNGOSCOPE: INTEGRATED REUSABLE VIDEO 3,5 INCH MULTI-FUNCTION 180 DEGREE ROTATING DISPLAY TFT LCD SCREEN (THIN FILM TRANSISTOR LIQUID CRYSTAL DISPLAY) WITH ON/OFF SWITCH, BATTERY INDICATOR AND VIDEO-OUT PORT.</p> <p>4)REUSABLE VIDEO ADAPTORS (CONTAINS AN IN-BUILT LED LIGHT SOURCE AND CMOS SENSOR WATERPROOF CAMERA HOUSED IN DISTAL TIP).</p> <p>5)DISPOSABLE CONCAVE LARYNGOSCOPE BLADES THAT SLIDES OVER THE VIDEO ADAPTOR AND CONNECT TO THE REUSABLE DISPLAY UNIT. DISTAL WINDOW OF BLADE HAS ANTI-FOG COATING TO PREVENT MOISTURE CONDENSATION AFFECTING IMAGE IN DISPLAY UNIT. TWO TYPES OF BLADES : (I) CHANNELLED BLADE-HAS A GUIDING CHANNEL FOR FAST DELIVERY OF ET TUBE INTO THE VOCAL CORDS; (II) STANDARD BLADE-HAS NO GILDING CHANNEL. BLADE SIZES: 1[INTABTS <4YRS],2[1-10YRS],3[.5YRS] & 4 [ADULTS].</p> <p>6) CHANNEL TO GUIDE PLACEMENT OF ENDOTRACHEAL TUBE.</p> <p>7)VIDEO-OUT-CABLE TO CONNECT TO AN EXTERNAL MONITOR (FOR TEACHING PURPOSES & RECORDING.</p> <p>8)POWER PROVIDED BY 3 AAA BATTERIES HOUSED IN BATTERY COMPARTMENT.</p> <p>9) PROVISION FOR VIDEO RECORDING/ IMAGE STORING.</p> <p>10) INSTANT PLAYBACK OF IMAGES.</p> <p>11) TO EXAMINE AND VISUALIZE THE STRUCTURES OF UPPER AIRWAY AND HELP IN PLACEMENT OF ENDOTRACHEAL TUBE IN THE TRACHEA.</p>	1 NOS
129	LARYNGOSCOPE (ANTERIOR COMMISSURE LARYNGOSCOPE)	WITH FIBRE OPTIC CARRIER, SMALL	1 NOS
130	LARYNGOSCOPE (ANTERIOR COMMISSURE LARYNGOSCOPE)	WITH FIBRE OPTIC CARRIER, MEDIUM	1 NOS
131	LARYNGOSCOPE (ANTERIOR COMMISSURE LARYNGOSCOPE)	WITH FIBRE OPTIC CARRIER, LARGE	1 NOS
132	LARYNGOSCOPE BLADE	SS, SIZE- 0	1 NOS
133	LARYNGOSCOPE BLADE	SS, SIZE- 00	1 NOS
134	LARYNGOSCOPE BLADE	SS, SIZE- 1	1 NOS
135	LARYNGOSCOPE BLADE	SS, SIZE- 2	1 NOS
136	LARYNGOSCOPE BLADE	SS, SIZE- 3	1 NOS
137	LARYNGOSCOPE BLADE	SS, SIZE- 4	1 NOS
138	MILLER LARYNGOSCOPE BLADE	SS, SIZE- 0	1 NOS
139	MILLER LARYNGOSCOPE BLADE	SS, SIZE- 00	1 NOS
140	MILLER LARYNGOSCOPE BLADE	SS, SIZE- 1	1 NOS
141	MILLER LARYNGOSCOPE BLADE	SS, SIZE- 2	1 NOS

Handwritten signature and date: 6/12/24

142	MILLER LARYNGOSCOPE BLADE	SS, SIZE- 3	1 NOS
143	MILLER LARYNGOSCOPE BLADE	SS, SIZE- 4	1 NOS
144	MCCOY LARYNGOSCOPE BLADE	SS, SIZE- 0	1 NOS
145	MCCOY LARYNGOSCOPE BLADE	SS, SIZE- 00	1 NOS
146	MCCOY LARYNGOSCOPE BLADE	SS, SIZE- 1	1 NOS
147	MCCOY LARYNGOSCOPE BLADE	SS, SIZE- 2	1 NOS
148	MCCOY LARYNGOSCOPE BLADE	SS, SIZE- 3	1 NOS
149	MCCOY LARYNGOSCOPE BLADE	SS, SIZE- 4	1 NOS
150	PROTOSCOPE CLAMPS	ADULT	1 NOS
151	PROTOSCOPE CLAMPS	CHILD	1 NOS
152	OXYGEN STAND/ TROLLEY	10 LTR	1 NOS
153	OXYGEN STAND/ TROLLEY	45 LTR	1 NOS
154	OXYGEN KEY	SS	1 NOS
155	OXYGEN FLOWMETER & REGULATOR WITH HUMIDIFIER BOTTLE	FITTED WITH CYLINDER	1 NOS
156	OXYGEN FLOWMETER & REGULATOR WITH HUMIDIFIER BOTTLE	WALL MOUNTED	1 NOS
157	BP HANDLE	SS, NO-7	1 NOS
158	BP HANDLE	SS, NO-4	1 NOS
159	BP HANDLE	SS, NO-3	1 NOS
160	STRETCHER (MATTRESS)	SS, WITH WHEEL	1 NOS
161	STRETCHER	SS, WITH WHEEL	1 NOS
162	WHEEL CHAIR	FOLDABLE	1 NOS
163	WHEEL CHAIR	NON FOLDABLE	1 NOS
164	EXAMINATION COUCH	SS, WITH DRAW	1 NOS
165	EXAMINATION TABLE	SS	1 NOS
166	FOOT STEP (2 STEP)	SS	1 NOS
167	TRANSPORTING TROLLEY	SS	1 NOS
168	O.T TROLLEY	SS	1 NOS
169	CARDIAC TABLE/ MAYO TROLLEY	SS	1 NOS
170	DRESSING TABLE	SS	1 NOS
171	DIGITAL HAEMOGLOBIN METER	(BIONSENSE)	1 NOS
172	CARDIAC MONITOR / MULTIPARA MONITOR		1 NOS
173	DEFIBRILLATOR		1 NOS
174	ECG MACHINE	12 CHANNEL	1 NOS
175	AUTOCLAVE	SS	1 NOS

Parida
6/12/24

176	ELECTRO SURGICAL CAUTERY MACHINE (MONOPOLAR,BIPOLAR & UNDER WATER FACILITY)	<ol style="list-style-type: none"> 1. MICROCONTROLLER BASED ISOLATED ELECTROSURGICAL GENERATOR HAVING BOTH MONOPOLAR AND BIPOLAR OUTPUTS DESIGNED FOR ALL SURGICAL PROCEDURES. 2. SMART GENERATOR SHOULD BE ABLE TO MONITOR CHANGES IN TISSUE IMPEDANCE CONTINUOUSLY AND ADJUSTS POWER. 3. MONOPOLAR OUTPUTS SHOULD HAVE THREE CUTTING MODES: a) LOW CUT FOR DELICATE TISSUE HAVING MAXIMUM POWER OF 300W.b) PURE CUT FOR CLEAN, PRECISE CUT HAVING MAXIMUM POWER OF 200W.c) BLEND MODE FOR CUTTING WITH HOMEOSTASIS HAVING MAXIMUM POWER OF 200W. ALL CUT MODES SHOULD BE ABLE TO ADJUST OUTPUT POWER DEPENDING ON TISSUE DENSITY BY LESS THAN 15% OR 5W, WHICHEVER IS GREATER. 4. IT SHOULD HAVE THREE COAG MODES WITH MAXIMUM POWER OF 120W a) DESICCATE MODE FOR LOW VOLTAGE CONTACT COAGULATION SUITABLE FOR DELICATE TISSUE WORK. b) FULGURATE MODE FOR EFFICIENT NON-CONTACT COAGULATION IN MOST APPLICATIONS.c) SPRAY MODE SHOULD HAVE RANDOMIZED SPRAY EFFECT OF VARYING AMPLITUDE AND FREQUENCY FOR COAGULATING LARGE TISSUE AREAS WITH MINIMUM DEPTH OF NECROSIS. 5. IT SHOULD HAVE THREE BIPOLAR MODES WITH MAXIMUM POWER OF 70W <ol style="list-style-type: none"> a) PRECISE MODE HAVE FINE CONTROL OF DESICCATION IN DELICATE TISSUE. b) STANDARD MODE FOR APPLICATIONS AT LOW VOLTAGE TO PREVENT SPARKING. c) MACRO MODE FOR APPLICATIONS ON TISSUE WITH HIGH RESISTANCE. 6. IT SHOULD HAVE PATIENT PLATE MONITORING FACILITY AND SHOULD GIVE AUDIO-VISUAL ALARM AND DEACTIVATE OUTPUT IF CONTACT BETWEEN PATIENT AND PATIENT PLATE IS NOT PROPER TO ELIMINATE THE RISK OF PATIENT BURNS. 7. THE UNIT SHOULD HAVE TWO HAND SWITCHING AND TWO FOOTSWITCH MONOPOLAR OUTPUTS AND ONE HAND SWITCHING AND FOOTSWITCHING BIPOLAR OUTPUT. 8. IT SHOULD HAVE MEMBRANE KEYBOARD FOR POWER SETTINGS. 9. THE UNIT SHOULD HAVE INDIVIDUAL DIGITAL DISPLAY OF POWER FOR BIPOLAR, MONOPOLAR CUT AND MONOPOLAR COAG. 10. THE UNIT SHOULD NOT HAVE RF LEAKAGE CURRENT MORE THAN 150MA. 11. ACCESSORIES:- a. MONOPOLAR FOOTSWITCH:- 02 NO.b. BIPOLAR FOOTSWITCH:- 01 NO. c. REUSABLE HAND SWITCHING PENCIL: - 02 NOS.d. REUSABLE PATIENT PLATE : - 02NOS.e. DISPOSABLE HAND SWITCHING PENCIL: - 10 NOSf. DISPOSABLE PATIENT PLATE- 10 NOSg. NON STICK BIPOLAR FORCEPS AND CABLE: - 01NO.h. FORCEPS CORD:- 02NOS. i. UNIVERSAL ADAPTOR: - 01NO. 12. IT SHOULD FOLLOW INTERNATIONAL SAFETY STANDARD AND REQUIREMENT WITH CE CERTIFICATION OR USFDA APPROVAL. 13. USERS LIST WITH THE ADDRESSES AND CONTACT NOS. TO BE PROVIDED. 14. DEMONSTRATION SHOULD BE DONE. 15. OPERATING AND SERVICE MANUAL SHOULD BE SUPPLIED. 16. TROPICALIZATION: OPERATING TEMP. UPTO 40DEG. C; 	1 NOS
177	NEBULIZER MACHINE		1 NOS
178	STEAM INHALLER		1 NOS
179	INSTRUMENT STERILIZER ELECTRIC	<ol style="list-style-type: none"> 1-SEAMLESS SHELL & LEVER OPERATED LID FITTED WITH FULL PROOF MECHANISM CONTROL EXCESSIVE STEAM ESCAPE AND RESTRICTS CONDENSATE WITH IN THE SHELL. 2- INCREDIBLE SYNCHROSED MANOEUVRABILITY OF LID, DUE TO STATISTICALLY PERFORATED TRAY FOR FLUSHING AND ENTRY OF WATER. 3- CONFIGURATION DESIGN AND MATERIAL AS PER IS:5022. 4- MATERIAL 304 GRADE SS SIZES-LARGE-(510X200X150MM), MEDIUM-(430X200X150MM), SMALL-(300X150X125MM) 	1 NOS

Maride
6/12/24

180	X-RAY VIEW BOX (LED)	<p>1) SHOULD BE FDA/ CE/BIS APPROVED PRODUCT.</p> <p>2) MANUFACTURER AND SUPPLIER SHOULD HAVE ISO 13485 CERTIFICATION FOR QUALITY STANDARDS.</p> <p>3) SHOULD BE ULTRA-THIN X RAY FILM ILLUMINATOR USING LIGHT.</p> <p>4) IT SHOULD HAVE A THICKNESS OF 30 MM.</p> <p>5) IT SHOULD BE SUITABLE FOR VIEWING 14"X17' FILM.</p> <p>6) SHOULD HAVE POSITION TO INSERT 8 FILMS IN 2 ROWS.</p> <p>7) THE LED LIGHT MUST HAVE A LIFE SPAN OF MORE THAN 1,00,000 HOURS.</p> <p>8) IT SHOULD HAVE EASY INSERTION & REMOVAL OF THE FILM.</p> <p>9) IT SHOULD HAVE HOMOGENEOUS ILLUMINATION MORE THAN 95% AND MAXIMUM INTENSITY OF OVER 10,000 LUX.</p> <p>10) IT SHOULD HAVE AN ON-OFF SWITCH ALONG WITH DIGITAL FEATHER TOUCH DIMMER AND A BUTTON TO SET THE INTENSITY.</p> <p>11) IT SHOULD HAVE FULLY ELECTRONIC CONTINUOUS BRIGHTNESS CONTROL, WITH ADJUSTMENT RANGE OF APPROXIMATELY 90%.</p> <p>12) IT SHOULD HAVE DIRECTLY CONNECTABLE TO POWER SUPPLY WITHOUT ANY EXTERNAL ADAPTER.</p> <p>13) IT SHOULD HAVE FLICKER FREE HIGH FREQUENCY LIGHT FOR REDUCTION OF EYE STRAIN.</p> <p>14) IT SHOULD HAVE EXTERNAL FUSES FOR PROTECTION AGAINST POWER SURGE.</p> <p>15) 10 STEP DIGITAL DIMMER FACILITY WITH STEP UP/STEP DOWN INTENSITY OF 500 LUX OR LESS.</p> <p>16) SHOULD HAVE AUTOMATIC FILM SENSOR .</p> <p>17) SHOULD HAVE FACILITY TO SWITCH ON ONLY THE SECTION WHERE THE FILM NEEDS TO BE VIEWED .</p> <p>18) POWER SUPPLY:-230V, AC, 50HZ. 3 AMPS, SINGLE PHASE.</p>	1 NOS
181	SUCTION MACHINE	ELECTRICAL	1 NOS
182	SUCTION MACHINE	MANNUAL	1 NOS
183	HIGH SUCTION MACHINE		1 NOS
184	VACCUM EXTRACTOR AND SUCTION MACHINE		1 NOS
185	SYRINGE PUMP		1 NOS
186	INFUSION PUMP		1 NOS
187	PORTABLE ULTRASOUND MACHINE		1 NOS
188	ABG MACHINE		1 NOS
189	ABG MACHINE CARTRIDGE SIEMENS RAPID POINT (M-CARTRIDGE/WASH CARTRIDGE) (4X 250ML/750 TESTS)		1 NOS
190	CTG MACHINE		1 NOS

Parvate
6.12.24

191	AUTOMATIC TOURNIQUET SYSTEM	<p>EQUIPMENT SPECIFICATIONS FOR AUTOMATIC TOURNIQUET SYSTEM WITH HOSE AND CUFFS DESCRIPTION OF FUNCTION:</p> <ol style="list-style-type: none"> 1. AN AUTOMATIC TOURNIQUET SYSTEM COMPRISES VARIABLE PRESSURE CUFF APPARATUS FOR APPLYING A VARIABLE PRESSURE TO A LIMB OR ARTERY OF A PATIENT IN ORDER TO OCCLUDE BLOOD FLOW TO THE LIMB FOR DOING A BLOODLESS AND CLEAN SURGERY. THE CONTROL APPARATUS FOR DETERMINING THE OPERATIVE PRESSURE FOR A PATIENT AND A VARIABLE PRESSURE CUFF APPARATUS FOR MINIMUM EFFECTIVE PRESSURE AND TIME REQUIRED FOR COMPLETE BLOOD FLOW OCCLUSION. 2. BATTERY OPERATED, LIGHT WEIGHT WITH LCD DISPLAY CONTROL. 3. SYSTEM WITH HOSE AND BATTERY BACKUP. 4. SHOULD HAVE OPTION FOR BIER'S BLOCK AND BILATERAL PROCEDURES. 5. SIZES OF CUFFS SHOULD MEET INDIVIDUAL REQUIREMENT OF THIN AND FAT PATIENTS, FOR ARM & THIGH AS WELL AS FOR CHILDREN. BOTH PEDIATRIC AND ADULT CUFF (2 EACH OF ALL SIZES) SHOULD BE PROVIDED. 6. SMALL AND LIGHT WEIGHT. 7. AUDIBLE AND VISUAL ALARMS WHEN THERE IS AN UNSAFE CONDITIONS. 8. UNIT SHOULD PERFORM SELF-CALIBRATION CHECK EVERY TIME IT IS TURNED ON. 9. CUFF WITH LOCKOUT FEATURES, WHICH SHOULD ENSURE THAT THE CUFF STAYS INFLATED EVEN IF UNIT IS TURNED OFF. <p>TECHNICAL SPECIFICATIONS:</p> <ol style="list-style-type: none"> 1. CUFF SHOULD HAVE COLOUR CODING AND PUNCTURE FREE TECHNOLOGY IF POSSIBLE. 2. IF POSSIBLE IT SHOULD SHOW THE PATIENT-SPECIFIC "SAFE OCCLUSION PRESSURE". 3. LINE VOLTAGE: 100-240V,50/60HZ, AUTO-SWITCH FITTED WITH INDIAN STYLE PLUG. 4. LINE CURRENT:670MARM5@120V. 5. INPUT POWER:53WATTS. 6. BATTERY TYPE: RECHARGEABLE,12V,4AH. 7. BATTERY DISCHARGETIME:240 MINS. (4HRS). 8. BATTERY RECHARGETIME:24HRS. 9. LINE PROTECTION:2 TIME DELAYED, 1.0AMP,250V FUSES. 10. CUFF PRESSURE RANGE:50-475MMHG. 11. PRESSURE ACCURACY: +/-3MM HG. 12. PRESSURE REGULATION: +/-4MM HG OF SETPOINT. 13. MAX. PRESSURE: 475MMHGCUFFS. 14. TIME ALARM SET RANGE: 5-240 MIN; 1 MIN INCREMENT. 15. TIMER ACCURACY: 0.25% 16. WEIGHT:7.4KG 17. DISPLAY: BACK LIT 1/4PANEL LCD 18. LOP (LIMB OCCLUSION PRESSURE): USED TO MEASURE THE RECOMMENDED PRESSURE THROUGH SENSOR 	1 NOS
192	FUMIGATION MACHINE		1 NOS
193	LED / SPOT LIGHT	WITH STAND	1 NOS
194	PULSE OXYMETER	MONITOR BASED	1 NOS
195	BACK REST	STAINLESS STEEL CE MARKING	1 NOS
196	BONE CUTTER	STAINLESS STEEL CE MARKING	1 NOS
197	BULL DOG CLAMP	(NORMAL), STAINLESS STEEL CE MARKING	1 NOS
198	BULL DOG CLAMP	(T-SHAPE), STAINLESS STEEL CE MARKING	1 NOS
199	DIVERSE RETRACTOR	MEDIUM , STAINLESS STEEL CE MARKING	1 NOS
200	DOYEN ABDOMINAL RETRACTOR	LENGTH-23.5 CM, WIDTH-7.5CM, THICKNESS37X31MM	1 NOS
201	DIVERSE RETRACTOR	SMALL STAINLESS STEEL CE MARKING	1 NOS


 6.12.24 15 | Page

202	EPISTOMY SCISSOR	STAINLESS STEEL CE MARKING	1 NOS
203	FINE CURVED SCISSOR	SIZE-3" STAINLESS STEEL CE MARKING	1 NOS
204	FINE CURVED SCISSOR	SIZE-4 " STAINLESS STEEL CE MARKING	1 NOS
205	FINE CURVED SCISSOR	SIZE-5 " STAINLESS STEEL CE MARKING	1 NOS
206	FINE CURVED SCISSOR	SIZE-6 " STAINLESS STEEL CE MARKING	1 NOS
207	FINE SCISSOR TISSUE CUTTING	STAINLESS STEEL CE MARKING	1 NOS
208	HYNIS INSTRUMENT SET	STAINLESS STEEL CE MARKING	1 NOS
209	LONA CURVED FINE SCISSOR	STAINLESS STEEL CE MARKING	1 NOS
210	LONA CURVED THIN ARTERY FORCEPE	STAINLESS STEEL CE MARKING	1 NOS
211	RIGHT ANGLE RETRACTOR SMALL	SIZE- 4" STAINLESS STEEL CE MARKING	1 NOS
212	RIGHT ANGLE RETRACTOR SMALL	SIZE- 5" STAINLESS STEEL CE MARKING	1 NOS
213	RIGHT ANGLE RETRACTOR SMALL	SIZE- 6" STAINLESS STEEL CE MARKING	1 NOS
214	RIGHT ANGLE RETRACTOR SMALL	SIZE- 8" STAINLESS STEEL CE MARKING	1 NOS
215	SINUS FORCEPS	SIZE-3" STAINLESS STEEL CE MARKING	1 NOS
216	SINUS FORCEPS	SIZE-4" STAINLESS STEEL CE MARKING	1 NOS
217	SINUS FORCEPS	SIZE-5" STAINLESS STEEL CE MARKING	1 NOS
218	SINUS FORCEPS	SIZE-6" STAINLESS STEEL CE MARKING	1 NOS
219	BABY TRAY	STAINLESS STEEL CE MARKING	1 NOS
220	URETHRAL DILATATION (METALLIC)		1 NOS
221	URETHRAL DILATATION (TEFLON)		1 NOS
222	TUBAL RECANALIZATION SET		1 NOS
223	LINEAR G L STAPLER WITH CARTRIDGE	BLUE-100MM/3.8MM, GREEN-80MM/4.8MM	1 NOS
224	WATSONS SKIN GRAFTING HANDLE	STAINLESS STEEL 310MM	1 NOS
225	LAPROSCOPIC MARYLAND BIPOLAR CAUTERY		1 NOS
226	LAPROSCOPIC SCISSOR	10MM, SGAHT LENGTH-45CM DIAMETER-10MM	1 NOS
227	CLIP APPLICATOR	STAINLESS STEEL, CLAMP,DIAM AND DIMENSION - 10MMX330M, SIZE-STANMDARD 300/400 CLAMP.	1 NOS
228	LAPROSCOPIC MARYLANE BIPOLAR VESSEL SEALER & CUTTER	STAINLESS STEEL 330X5MM	1 NOS
SKIN & VD			
229	DERMA BIOPSY PUNCH		1 NOS
230	BLACK HEAD EXTRACTOR		1 NOS
231	DERMAL CURETTES		1 NOS
232	CURRETTE		1 NOS
233	DERMOSCOPE		1 NOS
234	MICROSCOPE		1 NOS

Parab
6/12-24

235	TRIMMER		1 NOS
ANAESTHESIOLOGY			
236	ANAESTHESIA WORK STATION		1 NOS
237	FLEXIBLE FIBREOPTIC BRONCHOSCOPE ADULT		1 NOS
238	FLEXIBLE FIBREOPTIC BRONCHOSCOPE PAEDIATRIC		1 NOS
239	NEUROMUSCULAR MONITOR		1 NOS
240	PERIPHERAL NERVE STIMULATOR CUM LOCATOR	<ol style="list-style-type: none"> 1) SHOULD BE FDA & CE CERTIFIED. 2) SHOULD PROVIDE 0.2 MA TO 5.0 MA PULSE AMPLITUDE. 3) PULSE WIDTH SHOULD BE 0.1 M SEC. 4) SHOULD HAVE 1 HZ TO 2 HZ PULSE FREQUENCY. THE FREQUENCY SHOULD BE EASILY SWITCHABLE. DEFAULT FREQUENCY SHOULD BE OF 1 HZ. 5) USER SHOULD BE ABLE TO TOGGLE THE FREQUENCY BETWEEN 1HZ AND 2HZ BY HOLDING THE CONCERNED KEY FOR 2 SECONDS. 6) DEFAULT FREQUENCY OF 1 HZ SHOULD BE AUDIBLE ONLY DURING SELF-TESTING AND AFTERWARDS WILL BE TRIGGERED ONLY WHEN THE CIRCUIT IS CLOSED. 7) IMPEDANCE SHOULD BE OF 0-5 K OHMS. 8) SHOULD HAVE 3 DIGIT 7 SEGMENT LARGE LED DISPLAY UNIT. 9) SHOULD PROVIDE 0.01 MA - 0.1 MA RESOLUTION. 10) SHOULD BE COMPATIBLE WITH 9V ALKALINE BF BATTERY/ BATTERIES AVAILABLE LOCALLY. 11) SHOULD HAVE RED LED FLASHING LIGHT TO INDICATE LOW BATTERY. 12) SHOULD HAVE CONSTANT CURRENT STIMULATOR MONOPHASIC AND AUDIO-VISUAL INDICATORS FOR PULSE DELIVERY. 13) SHOULD HAVE YELLOW/GREEN LED FLASHING LIGHT WITH BEEP SOUND FOR DELIVERY OF EACH PULSE WHEN THE CIRCUIT IS CLOSED. 14) SHOULD HAVE DIGITAL LED DISPLAY OF FREQUENCY WITH BEEP TONE TO DISPLAY IMPULSE CURRENT FROM 0.20 TO 5.0 MA. 15) SHOULD HAVE PULSE LED (YELLOW / GREEN) TO INDICATE READINESS OF DEVICE. 16) STIMULUS DURATION SHOULD BE OF 0.05 MS — 0.10 MS — 0.30 MS — 0.50 MS — 1.00 MS +/- 1%. 17) ALLOWABLE LOAD IMPEDANCE SHOULD BE 0 K OHMS — 12 K OHMS. 18) CURRENT MEASURING ACCURACY SHOULD BE +/- 0.02 MA. 19) IMPEDANCE MEASURING RANGE SHOULD BE 1 K OHMS — 90 K OHMS FOR TARGET STIMULATION CURRENT >0.5 MA. 20) IMPEDANCE MEASURING ACCURACY SHOULD BE +/-10% OR +/-20% FOR TARGET STIMULATION. 21) SHOULD BE OPERABLE AT 0-50°C AND 90% RELATIVE HUMIDITY WITHOUT ANY CONDENSATION. 22) SHOULD CONSUME NOT MORE THAN 6MA-8MA MAXIMUM STIMULATION CURRENT SHOULD BE 5MA (0-12 K OHMS). 23) PULSE DURATION SHOULD BE CHANGEABLE BETWEEN 0.1, 0.3 AND 1.0 MS TO TARGET MOTOR/SENSORY NERVE COMPONENTS. 24) SHOULD HAVE AUDIBLE DISCONNECTION AND CURRENT THRESHOLDS ALARMS. 25) SHOULD DELIVER SINGLE TWITCH STIMULATION AT 0.1HZ (1 STIMULUS EVERY 10 SECONDS), TRAIN OF FOUR(TOF) AT 2HZ (2 STIMULUS PER SECOND) AND TETANIC STIMULATION AT 50HZ (50 STIMULUS PER SECOND). 26) POSITIVE AND NEGATIVE ELECTRODES SHOULD BE COLOUR CODED. 27) SHOULD BE USER FRIENDLY, HAVE LOW MAINTENANCE, TRANSPORTABLE. 28) USER MANUAL AND TROUBLESHOOTING GUIDE SHOULD BE PROVIDED. 29) FIFTY (50) NUMBER OF INSULATED NEEDLES SHOULD BE PROVIDED WITH THE INSTRUMENT. 30) USE SHOULD BE DEMONSTRATED TO USER BY TECHNICAL PERSON AT TIME OF INSTALLATION. 31) SHOULD PROVIDE THE NECESSARY CIRCUIT ATTACHMENTS AND LEADS AS REQUIRED FOR OPERATING THE MACHINE. 32) SHOULD COME WITH 1 YEAR GUARANTEE. 	1 NOS

David
6/12/24

241	INFRARED PERIPHERAL VEIN FINDER		1 NOS
242	VAPORISER (BPL E FLO 6D ANNASTHESIA MACHINE), ISOFLURANE, SEVOFLURANE, HALOTHANE		1 NOS
243	INTUBATING STYLET		1 NOS
244	ETCO2 MONITOR (CAPNOMETER)		1 NOS
245	BIS MONITOR		1 NOS
246	BLOOD/ FLUID WARMER		1 NOS
247	RAPID FLUID BLOOD INFUSER		1 NOS
248	RETROGRADE INTUBATION SET		1 NOS
O & G			
249	NORMAL DELIVERY SET		1 NOS
250	VENTOUSE CUP		1 NOS
251	SPECULUM		1 NOS
252	SPECULUM SIMS		1 NOS
253	COSCO VAGINAL SPECULUM		1 NOS
254	CU 375		1 NOS
255	CU 7380A		1 NOS
256	AUTOCLAVE INDICATOR TAPE		1 NOS
257	UTERINE SOUND	STAINLESS STEEL	1 NOS
258	UTERINE CLAMP	SS, SIZE-6"	1 NOS
259	UTERINE CLAMP	SS, SIZE-8"	1 NOS
260	PINARDS FETAL STETHOSCOPE		1 NOS
261	ANTERIOR VAGINAL WALL RETRACTOR		1 NOS
262	AYRES SPATULA		1 NOS
263	HEGARS DIALATOR		1 NOS
264	MUCUS EXTRACTOR		1 NOS
265	CU IUCD 380A/ 375		1 NOS
266	AYERS SPATULA		1 NOS
267	SIMPLE FETAL DOPPLER		1 NOS
268	NST MACHINE		1 NOS
269	ABDOMINAL HYSTERECTOMY		1 NOS
270	VAGINAL HYSTERECTOMY		1 NOS
271	MYOMECTOMY INSTRUMENTS		1 NOS
272	HYSTEROSCOPY SET		1 NOS
273	ELECTRONIC CO2 / INSUFFLETOR		1 NOS

Palod
6/12/24

274	RESECTOSCOPE		1 NOS
275	HYSTEROMATE		1 NOS
276	OPERATING MICROSCOPE		1 NOS
277	MTP SET		1 NOS
278	D & C SET		1 NOS
279	TUBOPLASTY SET		1 NOS
280	HYDROTUBATION		1 NOS
281	ENDOMETRIAL BIOPSY SET		1 NOS
282	CERVICAL BIOPSY SET		1 NOS
283	CERVICAL EXPLORATION/DIALATOR SET	STAINLESS STEEL	1 NOS
284	IUCD INSERTION REMOVAL SET		1 NOS
285	OPERATING LAPROSCOPY SET		1 NOS
286	DIAGNOSTIC LAPROSCOPY SET		1 NOS
287	LSCS SET		1 NOS
288	POSTPARTUM LIGATION		1 NOS
289	LAPROCATOR FOR TUBAL LIGATION		1 NOS
290	DOYNES RETRACTER		1 NOS
291	DEVERSE		1 NOS
292	MYOMA SCREW		1 NOS
293	HDVH CLAMP		1 NOS
294	ABDOMINAL RETRACTORS	SATINLESS STEEL	1 NOS
295	AMBILICAL CORD CUTTING SCISSOR	SATINLESS STEEL	1 NOS
296	GREEN ARMYTAGE FORCEP	SS, SIZE-6"	1 NOS
297	GREEN ARMYTAGE FORCEP	SS, SIZE-8"	1 NOS
298	SINGLE BLADED SPECULUM	STAINLESS STEEL	1 NOS
299	DOUBLE BLADED SPECULUM	STAINLESS STEEL	1 NOS
300	VOLSELLUM FORCEP		1 NOS
301	EPISOTOMY TRAY SET		1 NOS
302	BABY TRAY SET		1 NOS
303	PPIUCD TRAY SET		1 NOS
304	MVA / EVA TRAY SET		1 NOS
305	EMERGENCY TRAY SET		1 NOS
306	MEDICINE TRAY SET		1 NOS
307	VAGINAL WALL RETRACTOR (ANTERIOR)		1 NOS
308	VAGINAL WALL RETRACTOR (POSTERIOR)		1 NOS
309	FEMALE METAL CATHETER		1 NOS

Parade
6/2/24

310	IRIS SCISSOR		1 NOS
311	BROWN ADSON TISSUE FORCEP		1 NOS
312	POTTS SMITH DRESSING FORCEP		1 NOS
313	SUTURE REMOVAL SET		1 NOS
314	DRESSING SET		1 NOS
DENTAL			
315	DENTAL CHAIR		1 NOS
316	DENTAL X-RAY UNIT (RVG)		1 NOS
317	DIAGNOSTIC SET	WITH HANDLE NO-5 MOUTH MIRROR (FRONT SURFACE MIRROR), TWEEZERS, STRAIGHT PROBE, CURVED PROBE)	1 NOS
318	DENTAL EXTRACTION FORCEPS	(ADULT)	1 NOS
319	DENTAL EXTRACTION FORCEPS	(PAEDIATRIC)	1 NOS
320	DENTAL ELECATORS	(PERIOSTEAL, HOWARTH, COUPLAND, APEXO, CRYER)	1 NOS
321	MAXILLOFACIAL TRAUMA SET		1 NOS
322	BOILER		1 NOS
323	MUCO-PERIOSTEAL ELEVATOR	SIZE-SMALL	1 NOS
324	MUCO-PERIOSTEAL ELEVATOR	SIZE-BIG	1 NOS
325	BONE FILES (DENTAL)		1 NOS
326	DENTAL ELEVATOR SET	COPLAND ELEVATOR, WINTER CRYER ELEVATOR, WARWICK JAMES ELEVATOR) SPEAR PAINTS	1 NOS
327	LUXATOR TIPS SET (SET OF 09 NOS)	3MM	1 NOS
328	TISSUE RETRACTOR	SIZE-SMALL	1 NOS
329	DIAMOND BURRS		1 NOS
330	SURGICAL BUR FOR STRAIGHT HAND PIECE		1 NOS
331	DENTAL OPERATING LOUPE		1 NOS
332	BONE RONGEUR	45° HEAD 2MM TIPS	1 NOS
333	BONE RONGEUR	90° HEAD 2MM TIPS	1 NOS
334	DENTAL RF ELECTRO-CAUTERY MACHINE (RADIO FREQUENCY CAUTERY MACHINE GENERATES HIGH FREQUENCY ALTERNATING AC OUTPUT SPECIALLY DESIGNED FOR SURGICAL REQUIREMENTS.)	AC INPUT POWER •.225W, RF OUTPUT POWER •.200W, RATED OUTPUT FREQUENCY: 4.2MCYCLE, INTENSITY CONTROL: 6 SETTING, UNIT WATTAGE: 225W, OUTPUT WAVEFORM: ALTERNATING HF SINE WAV, HAND SWITCH CONTROL CIRCUIT, FOOT CONTROL CIRCUIT, BIPOLE PARAMETERS CIRCUIT, EARTH PLATE CIRCUIT, SHOCK PROOF ABS UNIT BODY) 2 YEAR REPLACEMENT WARRANTY	1 NOS

Prasad
6.12.24

ENT			
335	LED HEAD LIGHT SOURCE WITH FIBRE OPTIC CABLE	(3.5MM,4.5MM), 7.5 FT 100/120 WATT., LIFESPAN AT LEAST 60,00 HRS.	1 NOS
336	LED HEAD LIGHT WITH RECHARGEABLE SPARE BATTERY	(10 WATT, RECHARGEABLE SPARE BATTERY)	1 NOS
337	PORTABLE ENDOSCOPY UNIT WITH TFT MONITOR	(TFT MONITOR 16 INCH SCREEN, FULL HD 1080P CAMERA, INBUILT 100 WATT LED LIGHT SOURCE WITH FIBRE OPTIC CABLE	1 NOS
338	BOYLE DAVIS MOUTH GAG WITH TONGUE PIECE	(METALLIC WITH BIPOD STAND (RINGS) WITH 5 BLADES	1 NOS
339	CUTTING MASTOID BURR	(3.5,4,4.5,5,5.5,6) MM, TUNGSTEN	1 NOS
340	DIAMOND BURRS	(3,4MM)	1 NOS
341	DOYEN MOUTH GAG	(100MM CHILD)	1 NOS
342	DOYEN MOUTH GAG	(140MM ADULT)	1 NOS
343	METALLIC TRACHEOSTOMY TUBE FULLERS		1 NOS
344	METALLIC TRACHEOSTOMY TUBE JACKSON		1 NOS
345	INSULATED ALLIGATOR FORCEPS NASAL		1 NOS
346	INSULATED SUCTION CANNULA	(RIGID & FLEXIBLE (8 INCH STAINLESS STEEL)	1 NOS
347	NASAL SUCTION CANNULA	NO.1 & NO.5	1 NOS
348	ESOPHAGOSCOPE (RIGID)	ADULT	1 NOS
349	ESOPHAGOSCOPE (RIGID)	PAEDIATRIC	1 NOS
350	HYPOPHARYNGOSCOPE (RIGID)	ADULT	1 NOS
351	HYPOPHARYNGOSCOPE (RIGID)	PAEDIATRIC	1 NOS
352	LONG METALLIC SUCTION CANNULA		1 NOS
353	OESOPHAGEAL FOREIGN BODY REMOVAL FORCEPS		1 NOS
354	FIBER OPTIC CABLE FOR COLD LIGHT SOURCE	LONG TYPE	1 NOS
355	ST. CLAIR THOMSAN NASAL SPECULUM		1 NOS
356	TRACHEAL DILATOR		1 NOS
357	HEAD LIGHT		1 NOS
358	OTOSCOPE		1 NOS
359	TUNING FORK (256HZ / 512HZ)		1 NOS
360	HEAD MIRROR		1 NOS
361	TILLEY'S DRESSING FORCEP	17.0 CM	1 NOS
362	KILLIANS NASAL GOUZE	5MM, 17CM/ 6.75 INCH	1 NOS

Prasanna
6/2/24

363	WALSHAMS FORCEP	8.5 INCH	1 NOS
364	ASCHS SEPTUM FORCEP	8 INCH	1 NOS
365	HANKLES FORCEP	6 INCH	1 NOS
366	HANKLES FORCEP	8 INCH	1 NOS
367	LUCS FORCEP	ADULT	1 NOS
368	LUCS FORCEP	PAEDIATRIC	1 NOS
369	MASTOID GAUZE	WIDTH-4MM	1 NOS
370	MASTOID GAUZE	WIDTH-6MM	1 NOS
371	MASTOID GAUZE	WIDTH-8MM	1 NOS
372	PERIOSTEAL ELEVATOR	6.5MM, CURVE, 7-1/2 INCH	1 NOS
373	DRAFFINS BIOPOD STAND		1 NOS
374	TONSIL HOLDING FORCEP		1 NOS
375	WAUGH'S TONSIL DISSECTION FORCEP		1 NOS
376	YANKAURS SUCTION TUBE		1 NOS
377	TONSIL DISSECTOR WITH ANTERIOR PILLAR RETRACTOR		1 NOS
378	TONSIL ARTERY FORCEP		1 NOS
379	NEGVS KNOT TYER		1 NOS
380	EVES TONSIL SNARE		1 NOS
381	PERITONSILLAR ABSCESS FORCEP		1 NOS
382	TRACHEAL HOOK (BLUNT & SHARP)		1 NOS
383	JACKSONS METALLIC TRACHEOSTOMY TUBE		1 NOS
384	FULLER'S TRACHEOSTOMY TUBE		1 NOS
385	CIRCULAR KNIFE		1 NOS
386	RADIAL KNIFE		1 NOS
387	CUP FORCEP		1 NOS
388	ALLIGATOR FORCEP		1 NOS
389	TICK STRAIGHT ANGLE FORCEP		1 NOS
390	BALL PROBE		1 NOS
391	ANTRUM MICRO CURETTE		1 NOS
392	SICKLE KNIFE		1 NOS
393	DRILL WITH MICROMOTOR		1 NOS
394	OESOPHAGOSCOPE		1 NOS
395	BIOPSY FORCEP		1 NOS
396	ENDOSCOPE NASAL	0 DEGREE (4MM, LENGTH-14-19CM)	1 NOS
397	ENDOSCOPE NASAL	70 DEGREE (4MM, LENGTH-14-19CM)	1 NOS
398	COLD LIGHT SOURCE		1 NOS
399	TV MONITOR WITH CAMERA CORD		1 NOS

Prasad
6/12/24

400	BONE WAX		1 NOS
401	GEL FOAM		1 NOS
402	MEROCELE		1 NOS
403	NASAL SPLINT		1 NOS
OPHTHALMOLOGY			
CHALAZION SET CONTAINS :			
404	CHALAZION CLAMP	3.5 INCH AND FEATURE 20MM, DIAMETER OF FORCEPS HEAD	1 NOS
405	CHALAZION SCOOP	150MM LENGTH, FLAT HANDLE, CUP SIZE 1 2 3 4 5MM	1 NOS
406	JAEGER LID PLATE		1 NOS
407	MEYHOEFEL CHALAZION	CURETTE NO.1	1 NOS
408	MEYHOEFEL CHALAZION	CURETTE NO.2	1 NOS
409	MEYHOEFEL CHALAZION	CURETTE NO.3	1 NOS
410	MEYHOEFEL CHALAZION	CURETTE NO.4	1 NOS
411	EYE SCISSOR	CURVED 4.5" LENGTH	1 NOS
412	ST. MARTIN SUTURE FORCEP	1X2 TEETH	1 NOS
413	HUNT CHALAZION FORCEP	12 MM DIA	1 NOS
414	DESMARRES CHALAZION FORCEP	13MM DIA	1 NOS
415	DESMARRES CHALAZION FORCEP	20 MM DIA	1 NOS
416	CASTROVIETO NEEDLE HOLDER	CURVED WITH LOCK	1 NOS
417	BARD PARKER BLADE	SIZE-11	1 NOS
EVISCERATION SET CONTAINS :			
418	SELF RETAINING EYE SPECULUM	OVERALL LENGTH-88MM, BLADE WIDTH-13MM,	1 NOS
419	CONJUNCTIVAL SCISSORS	10.5CM LONG, BLUNT TIPS, 11MM BLADE CURVED	1 NOS
420	EVISCERATION SPATULA	141MM LENGTH, ROUND STAINLESS STEEL HANDLE	1 NOS
421	NEEDLE HOLDER	RIGHT HANDLE, BOX JOINT, RATCHET-YES, 6,8 INCH LENGTH	1 NOS
422	SMALL STRAIGHT SCISSORS	4X4X1 CM	1 NOS
ENUCLEATION SET CONTAINS :			
423	SELF RETAINING EYE SPECULUM	OVERALL LENGTH-88MM, BLADE WIDTH-13MM,	1 NOS
424	TOOTH FORCEPS	STAINLESS STEEL, 10X3X3CM, GRIT TYPE-FINE	1 NOS
425	CONJUNCTIVAL SCISSORS	10.5CM LONG, BLUNT TIPS, 11MM BLADE CURVED	1 NOS
426	MUSCLE HOOK	2MM BULBOUS TIP WITH 6MM FLAT PORTION, FLAT SERRATED HANDLE WITH POLISHED FINISH 136MM LENGTH	1 NOS
427	OPTIC NERVE GUIDE	21MM WIDE CURVED SPOON WITH 5MM BY 10MM NOTCH, FLAT SMOOTH HANDLE WITH POLISHED FINISH, 147MM LENGTH	1 NOS
428	LONG CURVED SCISSORS	CURVED, 8 INCH LENGTH, STAINLESS STEEL	1 NOS
ECTROPION & ENTROPION SET CONTAINS :			
429	LID CLAMP (RIGHT & LEFT)	61MM LENGTH	1 NOS
430	BP BLADE HOLDER	3 & 4 INCH, STAINLESS STEEL 304G	1 NOS

Handwritten signature and date: 6/12/24

431	SMALL STRAIGHT SCISSORS	4X4X1CM	1 NOS
DCR SET CONTAINS :			
432	BP BLADE HOLDER	3 & 4 INCH, STAINLESS STEEL 304G	1 NOS
433	CATSPAW RETRACTOR	8X7X12CM	1 NOS
434	SMALL STRAIGHT SCISSORS	4X4X1CM	1 NOS
435	BONE GOUGE	STAINLESS STEEL, 190MM LENGTH,26MM TIP,STRAIGHT	1 NOS
436	BONE TREPINE	STAINLESS STEEL, 8RNM WITH CENTRAL DRILL	1 NOS
437	BONE PUNCH	STAINLESS STEEL, STRAIGHT AND CURVED	1 NOS
438	LACRIMAL SAC GUARD	11X8MM, STAINLESS STEEL,4 PRONGS BLUNT	1 NOS
439	TOOTH FORCEPS	STAINLESS STEEL,10X3X3CM, GRIT TYPE-FINE	1 NOS
CATARACT SET CONTAINS :			
440	UNIVERSAL WIRE SPECULUM	30CM, LENGTH: 10MM BLADE SIZE, BLADETYPE-WIRW, STAINLESS STEEL	1 NOS
441	CONJUCTIVAL SCISSORS	10.5CM LONG, BLUNT TIPS,LLMM BLADE CURVED	1 NOS
442	CORNEAL SCISSORS	BLUNT TIP,LLMM BLADES,106MM LENGTH, STAINLESS STEEL	1 NOS
443	SUPERIOR RECTUS HOLDING FORCEPS	11CM LENGTH, FIXATION FORCEPS, STAINLESS STEEL	1 NOS
444	SMALL ARTERY FORCEPS	STRAIGHT, STAINLESS STEEL 5 INCHES	1 NOS
445	DISPOSABLE CRESENT	PLASTIC, LIGHT WEIGHT, 2MM SIZE	1 NOS
446	DISPOSABLE KERATOME	2.75MM, SINGLE BEVEL, PLASTIC	1 NOS
447	DISPOSABLE EXTENSOR	PLASTIC,3.2MM	1 NOS
448	CAPSULORRHESIS FORCEPS	SHARP POINTED SERRATED INTERLOCKING TIPS, 110MM LENGTH, FLAT HANDLE,45 DEGREE ANGLED TIP FROM SHAFT	1 NOS
449	VANNAS SCISSORS	9CM LONG, 3MM TIPS,6MM BLADES	1 NOS
450	BIMANUAL IRRIGATION ASPIRATION	STAINLESS STEEL,23G, CURVED THIN WALL SHAFT.0.3MM	1 NOS
451	CANNULA	ASPIRATION,10 INCHES TUBING AND LUER-LOCK ADAPTER, 15MM LEN H	1 NOS
452	IOL HOLDER	107MM LE H, FLAT HANDLE, 40 DEGREE AN LED SHAFTS	1 NOS
453	IRIS REPOSITOR	ANGLES, SOLID HANDLE,13CM LENGTH,LMM WORKING END SIZE	1 NOS
454	IOL DIALER	ANGLED SHAFT WITH 0.5MM TIP AND 0.18MM DIAMETER,115MM LENGTH	1 NOS
455	PHACO MACHINE (OERTELIPHACO)		1 NOS
456	BARRAQUER NEEDLE HOLDER	TITANIUM , CURVED , EITHOUT LOCK 12MM JAW	1 NOS
457	LACRIMAL DILATOR		1 NOS
458	FIXATION FORCEP		1 NOS
459	LACRIMAL CANULA		1 NOS
460	HARTMANN'S MOSQUITO FORCEP		1 NOS
461	LACRIMAL SACRETRACTOR		1 NOS
462	UTILITY FORCEP		1 NOS

Handwritten signature
6/12/24

463	EYE SCISSOR	STRAIGHT	1 NOS
464	STEVENTS TENOTOMY SCISSOR	CURVED	1 NOS
465	FREER PERIOSTEAL ELEVATOR		1 NOS
466	TYING FORCEP		1 NOS
467	BOWMAN LACRIMAL PROBE		1 NOS
468	HUNT CHALAZION FORCEP	(12 MM DIA)	1 NOS
469	DESMARRES CHALAZION FORCEP	(13 MM DIA)	1 NOS
470	DESMARRES CHALAZION FORCEP	(20 MM DIA)	1 NOS
471	MEYHOEFER CHALAZION CURETTE		1 NOS
472	CONJUCTIVAL SCISSOR		1 NOS
473	EPILATION FORCEP		1 NOS
474	20 D LENS		1 NOS
475	90 D LENS		1 NOS
476	NCT (NON- CONTACT TONOMETRY)		1 NOS
477	A- SCAN BIOMETRY		1 NOS
478	B- SCAN		1 NOS
479	LIMS FORCEP		1 NOS
480	JACKSON CROSS CYLINDER		1 NOS
481	EYE SPECULUM ADULT		1 NOS
482	EYE SPECULUM PAEDIATRIC		
483	KRATZ BARRAQUER WIRE SPECULUM STANDARD WIRE	LARGE	1 NOS
484	KRATZ BARRAQUER WIRE SPECULUM STANDARD WIRE	SMALL	1 NOS
485	BUNGE EVISCERATION SPOON		1 NOS
486	WESTCOTT TENOTOMY SCISSORS	CURVED BLUNT TIP STANDARD BLADE RIGHT	1 NOS
487	HOSKIN 18 TISSUE FORCEP	FINE GROOVE TIP STRAIGHT	1 NOS
488	PICTAIL PROBE WITH SUTURE HOLES		1 NOS
489	WEST LACRIMAL CHISEL		1 NOS
490	LIEBERMANN SPECULUM K WIRE		1 NOS
491	IRIS FORCEP TOOTH	PLAIN	1 NOS
492	IRIS FORCEP TOOTH	CURVED	1 NOS
493	FOCUSING LIGHT	LED	1 NOS
SURGERY			
494	G.J CLAMP		1 NOS
495	VASCULAR CLAMP		1 NOS
496	SELFRACTING ABDOMINAL RETRACTOR		1 NOS

Prasad
6/12/24

497	HUMBYS SKIN GRAFTING KNIFE WITH HANDLE		1 NOS
498	INTESTINAL CLAMP (NON- CRUSHING)	STRAIGHT	1 NOS
499	INTESTINAL CLAMP (NON- CRUSHING)	FEHLAND	1 NOS
500	METTALIC TROCAR WITH CANNULA		1 NOS
501	LIGHTING SOURCE		1 NOS
502	LIGHTING SYSTEM		1 NOS
503	INSUFFLATOR BASIC UNIT		1 NOS
504	RESECTOSCOPE		1 NOS
505	SIGMOIDOSCOPE		1 NOS
506	CYSTOSCOPE		1 NOS
507	OVERHEAD PROJECTOR		1 NOS
508	SLIDE PROJECTOR		1 NOS
509	UROFLOWMETER		1 NOS
510	OPERATIVE LAPROSCOPE		1 NOS
511	ELECTROSURGICAL UNIT		1 NOS
512	ELECTROSURGICAL ACCESSORIES (CORD, PLATE , ETC.)		1 NOS
513	HAND LAW		1 NOS
514	LASER		1 NOS
515	ENDO STAPPLER SET		1 NOS
516	VASCULAR SET		1 NOS
517	HARMONICS		1 NOS
518	DIAGNOSTIC LAPROSCOPY SET		1 NOS
519	OPERATION LAPROSCOPY SET		1 NOS
520	SKIN HOOK ADULT	SS, SIZE- 6"	1 NOS
521	LIVER RETRACTOR LARGE		1 NOS
522	LIVER RETRACTOR SMALL		1 NOS
523	VENESECTION KIT	STAINLESS STEEL	1 NOS
524	CIDEX TRAY		1 NOS
ORTHOPAEDIC			
525	THOMAS SPLINT		1 NOS
526	BOHLER BRAIN SPLINT (BBS SPLINT)		1 NOS
527	BANDAGE CUTTING SCISSOR		1 NOS
528	PLASTER CUTTING SAW HEAVY HANDLE		1 NOS
529	PLASTER CUTTING SAW ELETRIC		1 NOS
530	PLASTER SPREADER		1 NOS
531	OPHTHALMOSCOPE		1 NOS

Handwritten signature
6/12.24

532	SAND BAG		1 NOS
533	ELECTRIC OPERATING HAND DRILL WITH REAMER & ATTACHMENT (220V,50 Hz)	<p>A. UNIVERSAL CANNULATED DRILLING HAND PIECE (SPEED 1200RPM).</p> <p>B. REAMING HAND PIECE QUICK COUPLING.</p> <p>C. WIRE DRIVING HANDPIECE.</p> <p>D. SAGITTAL BONE CUTTING SAW HANDPIECE WITH SET OF STANDARD BLADES.</p> <p>E. SURGICAL DRIVING UNIT (DRIVING UNIT INCLUDES MOTOR STAND, FOOT CONTROL, FLEXIBLE SHAFT, TOOL KIT, OIL BOTTLE & SPECIAL CONTAINER.</p> <p>F. FLEXIBLE REAMING SHAFT WITH FIXED REAMER, DIA. 8MM.</p> <p>G. FLEXIBLE REAMER SHAFT ONLY (FOR REAMER HEAD UP TO 13MM).</p> <p>H. FLEXIBLE REAMER SHAFT ONLY (FOR REAMER HEAD FROM 13.5MM TO 15MM.)</p> <p>I. INTRA MEDULLARY REAMER HEADS (8.5MM TO 15MM)</p>	1 NOS
534	BATTERY DRILL SET FOR TRAUMA AND JOINT REPLACEMENTS	<p>A. THE CANNULATED BATTERY HANDPIECE:</p> <ol style="list-style-type: none"> 1. CANNULATION WITH 3.8-4.2 MM DIAMETER. 2. WEIGHT OF HAND PIECE 1000-1400 GM WITH BATTERY. 3. POWER OF 150-200W. 4. CONTINUOUSLY VARIABLE SPEED WITH OUT ATTACHMENT 0-1500 RPM. 5. SEPARATE FORWARD AND REVERSE TRIGGERS. 6. HANDPIECE IS COMPATIBLE WITH RADIO LUCENT DRIVE. 7. INSTANT CHANGE BETWEEN CLOCKWISE AND COUNTER-CLOCKWISE ROTATION. 8. FULLY AUTOCLAVABLE. 9. DIFFERENT LOCKING OPTIONS FOR ATTACHMENTS. 10. SHOULD PREFERABLY HAVE RELIABLE PROTECTION OF SOFT TISSUE WITH INTEGRATED OSCILLATION MODE. <p>B. LID FOR BATTERY HAND PIECE:</p> <ol style="list-style-type: none"> 1. MODE SELECTOR SWITCH TO SELECT DRILLING/REAMING, SAW, OSCILLATING DRILL MODE. 2. MADE OF PLASTIC/STAINLESS STEEL . 3. SHOULD BE AUTOCLAVABLE. <p>C. POWER MODULE:</p> <ol style="list-style-type: none"> 1. DISPLAY INDICATING THE BATTERY CAPACITY STATUS. 2. CONSISTS OF MOTOR ,CONTROL UNIT AND BATTERY CELLS. 3. SHOULD HAVE A BUTTON TO DIAGNOSE ERRORS IN THE SYSTEM <p>D. BATTERY CHARGER:</p> <ol style="list-style-type: none"> 1. SHOULD PREFERABLY HAVE 4 CHARGING BAYS. 2. SHOULD BE CAPABLE OF CHARGING NI CD ,NI MH AND LITHIUM ION BATTERIES. 3. SHOULD DISPLAY THE CHARGING STATUS OF THE BATTERIES. 4. KEEPS INSERTED BATTERIES CONSTANTLY FULLY LOADED. <p>E. STERILE COVER:</p> <ol style="list-style-type: none"> 1. MADE OF STAINLESS STEEL. 2. FULLY AUTOCLAVABLE. 3. FOR STERILE TRANSFER OF POWER MODULE TO BATTERY HANDPIECE. <p>F. QUICK COUPLING ATTACHMENT:</p> <ol style="list-style-type: none"> 1. CANNULATION OF 1.8-2.2 MM DIAMETER . 2. MAXIMUM SPEED: APPROX.1500RPM. 3. MAXIMUM TORQUE:3NM <p>G. CHUCK ATTACHMENT:</p> <ol style="list-style-type: none"> 1. CANNULATION OF 3.8-4.2 MM DIAMETER. 2. CHUCK RANGE FROM 0.5 TO 10MM. 3. MAXIMUM SPEED OF 1500RPM <p>I. SAGITTAL SAW ATTACHMENT:</p> <ol style="list-style-type: none"> 1. IT CAN OPERATE ON AN OSCILLATING FREQUENCY OF 0 TO 20,000 OSC/MIN. 2. THE AMPLITUDE OF OSCILLATION SHOULD PREFERABLY BE 4.5°. 3. 5 LOCKING OPTIONS FOR THE SAW BLADES IN THE ATTACHMENT. 4. SAW BLADE FOR TJR SURGERY LENGTH 81 TO 116MM, USABLE L 60 TO 95MM, WIDTH 12.5 TO 25MM, THICKNESS 0.89 TO 1.47MM . 5. SAW BLADE FOR GENERAL TRAUMATOLOGY LENGTH 46 TO 90 MM, USABLE LENGTH 25 TO 69MM, WIDTH 10 TO 50MM, THICKNESS 0.4 TO 1.2MM. 	01 NOS
	BATTERY HAND PIECE PREFERABLY MODULAR		
	POWER MODULE		
	STERILE COVER		
	LID FOR BATTERY HAND PIECE		
	BATTERY CHARGER		
	QUICK COUPLING		
	DRILL CHUCK (DRILLING SPEED), WITH KEY		
	QUICK COUPLING FOR KIRSCHNER WIRES 1.0 TO 4.0MM		
	ATTACHMENT FOR ACETABULAR AND MEDULLARY REAMING		

Parida
6.12.24

	SAGITTAL SAW ATTACHMENT, LONG	J. QUICK COUPLING FOR DHS/DCS TRIPLE REAMER: 1. CANNULATION OF 3.8-4.2MM DIAMETER 2. SPEED UP TO 700RPM K. QUICK COUPLING FOR K-WIRE: 1. CONTINUOUS ADJUSTMENT FACILITY FOR WIRE DIAMETER FROM 1TO4MM 2. SPEED UP TO 1500RPM L. BATTERIES 1. LITHIUM ION/NICKEL-CADMIUM BATTERY WITH A MINIMUM LIFE OF 1000 CYCLES 2. NOSE LF DISCHARGING OF BATTERIES AND NO MEMORY EFFECT 3. MAXIMUM CHARGING TIME: PREFERABLY 30-45MIN 4. BATTERY: 20-30V 5. SAFE AND EASY HANDLING IN THE OPERATION THEATRE	
	QUICK COUPLING FOR DHS/DCS TRIPLE REAMERS		
535	ORTHOPAEDIC MULTIPURPOSE PLIER		1 NOS
536	K- WIRE CUTTER		1 NOS
537	K- WIRE BENDER		1 NOS
538	WRENCH SET		1 NOS
539	LENGAN BAG RETRACTOR	SMALL	1 NOS
540	LENGAN BAG RETRACTOR	MEDIUM	1 NOS
541	LENGAN BAG RETRACTOR	LARGE	1 NOS
542	C- ZERNEY RETRACTOR		1 NOS
543	ADSON FORCEP	SS ,BLUNT 4"	1 NOS
544	ADSON FORCEP	SS, BLUNT 6"	1 NOS
545	ADSON FORCEP	SS, BLUNT 8"	1 NOS
546	ADSON FORCEP	SS, TOOTH 4"	1 NOS
547	ADSON FORCEP	SS, TOOTH 6"	1 NOS
548	ADSON FORCEP	SS, TOOTH 8"	1 NOS
549	DISSECTING FORCEP	TOOTHED 4"	1 NOS
550	DISSECTING FORCEP	TOOTHED 6"	1 NOS
551	DISSECTING FORCEP	TOOTHED 8"	1 NOS
552	DISSECTING FORCEP	NON TOOTHED 6"	1 NOS
553	DISSECTING FORCEP	NON TOOTHED 8"	1 NOS
554	PERIOSTAL ELEVATOR CURVED	SS, 14MM WIDE, L 200MM	1 NOS
555	PERIOSTAL ELEVATOR STRAIGHT	SS, 14MM WIDE, L 200MM	1 NOS
556	KOCHERS CLAMP	STRAIGHT 8"	1 NOS
557	KOCHERS CLAMP	STRAIGHT 6"	1 NOS
558	KOCHERS CLAMP	STRAIGHT 10"	1 NOS
559	KOCHERS CLAMP	CURVED 8"	1 NOS
560	KOCHERS CLAMP	CURVED 6"	1 NOS
561	KOCHERS CLAMP	CURVED 10"	1 NOS
562	MIXTARD ARTERY	SIZE- 4"	1 NOS
563	MIXTARD ARTERY	SIZE- 6"	1 NOS

Manish
6/12/24

564	SPIKE	BIG	1 NOS
565	OSTEOTOM		1 NOS
566	ORTHOPAEDIC HAMMER		1 NOS
567	BONE NEBULER	BIG	1 NOS
568	BONE NEBULER	SMALL	1 NOS
569	PLYWIRE		1 NOS
570	GOUWSE		1 NOS
571	SUCTION TIP		1 NOS
572	CANNULATED SET	4.5/4.0 MM	1 NOS
573	SMALL FRAGMENT SET		1 NOS
574	LARGE FRAGMENT SET		1 NOS
GENERAL ORTHOPAEDIC INSTRUMENTS			
575	BONE LEVER SERRATED	SMALL	1 NOS
576	BONE LEVER SERRATED	LARGE	1 NOS
577	BONE LEVER NON SERRATED	SMALL	1 NOS
578	BONE LEVER NON SERRATED	LARGE	1 NOS
579	BONE SPIKE	SMALL	1 NOS
580	BONE SPIKE	LARGE	1 NOS
581	HOHMANN'S RETRACTOR NARROW	TIP 160MM	1 NOS
582	HOHMANN'S RETRACTOR WIDE	TIP 240MM	1 NOS
583	VOLKMANN'S RETRACTOR	2MM	1 NOS
584	VOLKMANN'S RETRACTOR	3MM	1 NOS
585	VOLKMANN'S RETRACTOR	4MM	1 NOS
586	VOLKMANN'S RETRACTOR	5MM	1 NOS
587	DOUBLE HOOK RETRACTOR		1 NOS
588	CJERNY'S RETRACTORS	SMALL	1 NOS
589	CJERNY'S RETRACTORS	MEDIUM	1 NOS
590	CJERNY'S RETRACTORS	LARGE	1 NOS
591	HAMMER/MALLET	200MM	1 NOS
592	HAMMER/MALLET	350MM	1 NOS
593	HAMMER/MALLET	500MM	1 NOS
594	STILLE CHISEL STRAIGHT 20.5CM	SIZE 10MM	1 NOS
595	STILLE CHISEL STRAIGHT 20.5CM	SIZE 15MM	1 NOS
596	STILLE CHISEL STRAIGHT 20.5CM	SIZE 20MM	1 NOS
597	STILLE CHISEL STRAIGHT 20.5CM	SIZE 25MM	1 NOS
598	STILLE CHISEL CURVED 20.5CM	SIZE 10MM	1 NOS

Handwritten signature
6.12.21

599	STILLE CHISEL CURVED 20.5CM	SIZE 15MM	1 NOS
600	STILLE CHISEL CURVED 20.5CM	SIZE 20MM	1 NOS
601	STILLE CHISEL CURVED 20.5CM	SIZE 25MM	1 NOS
602	STILLE GOUGE STRAIGHT 20.5CM	TIP SIZE 10MM	1 NOS
603	STILLE GOUGE STRAIGHT 20.5CM	TIP SIZE 15MM	1 NOS
604	STILLE GOUGE STRAIGHT 20.5CM	TIP SIZE 20MM	1 NOS
605	STILLE GOUGE STRAIGHT 20.5CM	TIP SIZE 25MM	1 NOS
606	STILLE GOUGE CURVED 20.5CM	TIP SIZE 10MM	1 NOS
607	STILLE GOUGE CURVED 20.5CM	TIP SIZE 15MM	1 NOS
608	STILLE GOUGE CURVED 20.5CM	TIP SIZE 20MM	1 NOS
609	STILLE GOUGE CURVED 20.5CM	TIP SIZE 25MM	1 NOS
610	STILLE OSTEOTOME STRAIGHT 20.5CM	TIP SIZE 10MM	1 NOS
611	STILLE OSTEOTOME STRAIGHT 20.5CM	TIP SIZE 15MM	1 NOS
612	STILLE OSTEOTOME STRAIGHT 20.5CM	TIP SIZE 20MM	1 NOS
613	STILLE OSTEOTOME STRAIGHT 20.5CM	TIP SIZE 25MM	1 NOS
614	STILLE OSTEOTOME CURVED 20.5CM	TIP SIZE 10MM	1 NOS
615	STILLE OSTEOTOME CURVED 20.5CM	TIP SIZE 15MM	1 NOS
616	STILLE OSTEOTOME CURVED 20.5CM	TIP SIZE 20MM	1 NOS
617	STILLE OSTEOTOME CURVED 20.5CM	TIP SIZE 25MM	1 NOS
618	BONE CURETTE DOUBLE ENDED	17CM OVAL	1 NOS
619	BONE CURETTE DOUBLE ENDED	27CM OVAL	1 NOS
620	T-HANDLE SS		1 NOS
621	T-HANDLE SS QUICK- COUPLING)		1 NOS
622	RONGEUR (6",7",8"; BITE SIZE 2MM TO 5MM; STRAIGHT, UPWARD ANGLE 40 DEG, DOWNWARD ANGLE 40 DEG)		1 NOS
623	BONE FILE FLAT SOLID SEMIROUND WITH HOLLOW HANDLE	22CM	1 NOS
624	BONE FILE FLAT SOLID SEMIROUND WITH HOLLOW HANDLE	25CM	1 NOS

Mamda
6/12/24

625	GIGLI SAW HOOK		1 NOS
626	GIGLI SAW WIRE		1 NOS
627	BONE HOOK SHARP	SS, SMALL SIZE-6"	1 NOS
628	BONE HOOK SHARP	SS, MEDIUM SIZE-8"	1 NOS
629	BONE HOOK SHARP	SS, LARGE SIZE-10"	1 NOS
630	SKIN HOOK	SS, 2 PRONG	1 NOS
631	SKIN HOOK	SS, 3 PRONG	1 NOS
632	K-NAIL EXTRACTOR SET		1 NOS
633	K-WIRE BENDER		1 NOS
634	LOCKING PLIERS,	SS,20.5CM/8AND1/8"	1 NOS
635	FLAT NOSE PLIER,	PARALLEL GRIP -18CM/7AND1/8"	1 NOS
636	WIRE-CUTTING PLIER	(13CM/5AND1/8",17CM/6AND6/8",23CM/9"	1 NOS
637	WIRE CUTTER FRONT ACTION 38CM/15"	FOR SOFT WIRES UPTO 4MM	1 NOS
638	WIRE CUTTER FRONT ACTION 38CM/15"	FOR HARD WIRES UPTO 3.2MM	1 NOS
639	PLATER SAW HEAVY HANDLE		1 NOS
640	PLASTER SAW ELECTRIC		1 NOS
641	PLASTER SPREADER		1 NOS
642	BANDAGE CUTTING SCISSOR		1 NOS
643	NAIL EXTRACTING DEVICE		1 NOS
644	FARABEUF'S PERIOSTEAL ELEVATOR	STRAIGHT 6MM	1 NOS
645	FARABEUF'S PERIOSTEAL ELEVATOR	STRAIGHT 8MM	1 NOS
646	FARABEUF'S PERIOSTEAL ELEVATOR	STRAIGHT 10MM	1 NOS
647	FARABEUF'S PERIOSTEAL ELEVATOR	STRAIGHT 12MM	1 NOS
648	FARABEUF'S PERIOSTEAL ELEVATOR	STRAIGHT 14MM	1 NOS
649	FARABEUF'S PERIOSTEAL ELEVATOR	STRAIGHT 16MM	1 NOS
650	FARABEUF'S PERIOSTEAL ELEVATOR	CURVED 6MM	1 NOS
651	FARABEUF'S PERIOSTEAL ELEVATOR	CURVED 8MM	1 NOS
652	FARABEUF'S PERIOSTEAL ELEVATOR	CURVED 10MM	1 NOS
653	FARABEUF'S PERIOSTEAL ELEVATOR	CURVED 12MM	1 NOS
654	FARABEUF'S PERIOSTEAL ELEVATOR	CURVED 14MM	1 NOS
655	FARABEUF'S PERIOSTEAL ELEVATOR	CURVED 16MM	1 NOS
656	SELF-RETAINING RETRACTOR	SMALL	1 NOS
657	SELF-RETAINING RETRACTOR	MEDIUM	1 NOS

Mahid
6/12/24

658	SELF-RETAINING RETRACTOR	LARGE	1 NOS
659	SELF-RETAINING RETRACTOR	EXTRA LARGE	1 NOS
660	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 7" BITE SIZES 2 MM	1 NOS
661	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 7" BITE SIZES 3 MM	1 NOS
662	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 7" BITE SIZES 4 MM	1 NOS
663	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 7" BITE SIZES 5 MM	1 NOS
664	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 8" BITE SIZES 2 MM	1 NOS
665	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 8" BITE SIZES 3 MM	1 NOS
666	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 8" BITE SIZES 4 MM	1 NOS
667	KERRISON BONE PUNCH	90 DEGREE UPWARD JAW 8" BITE SIZES 5 MM	1 NOS
668	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 7" BITE SIZES 2 MM	1 NOS
669	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 7" BITE SIZES 3 MM	1 NOS
670	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 7" BITE SIZES 4 MM	1 NOS
671	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 7" BITE SIZES 5 MM	1 NOS
672	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 8" BITE SIZES 2 MM	1 NOS
673	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 8" BITE SIZES 3 MM	1 NOS
674	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 8" BITE SIZES 4 MM	1 NOS
675	KERRISON BONE PUNCH	90 DEGREE DOWNWARD JAW 8" BITE SIZES 5 MM	1 NOS
676	ORTHOPAEDIC DRILL BIT SET	(ALL SIZES)	1 NOS
677	BONE TAP WITH T HANDLE	(ALL SIZES)	1 NOS
678	CANNULATED REAMER T TYPE	8 MM	1 NOS
679	CANNULATED REAMER T TYPE	9 MM	1 NOS
680	CANNULATED REAMER T TYPE	10 MM	1 NOS
681	CANNULATED REAMER T TYPE	11 MM	1 NOS
682	CANNULATED REAMER T TYPE	12 MM	1 NOS
683	CANNULATED REAMER T TYPE	13 MM	1 NOS
684	CANNULATED REAMER T TYPE	14 MM	1 NOS
685	SOLID REAMER T TYPE	8 MM	1 NOS
686	SOLID REAMER T TYPE	9 MM	1 NOS
687	SOLID REAMER T TYPE	10 MM	1 NOS
688	SOLID REAMER T TYPE	11 MM	1 NOS
689	SOLID REAMER T TYPE	12 MM	1 NOS
690	SOLID REAMER T TYPE	13 MM	1 NOS
691	SOLID REAMER T TYPE	14 MM	1 NOS
692	DRILL SLEEVE	(ALL SIZES)	1 NOS
693	SCREW DRIVER- HEXAGONAL- CANNULATED AND SOILD	(3.5MM AND 4.5MM; SMALL AND LARGE)	1 NOS
694	DEPTH GAUGE		1 NOS

Panda
6/12/24

695	REDUCTION FORCEPS SERRATED SPEED LOCK	140MM	1 NOS
696	REDUCTION FORCEPS SERRATED SPEED LOCK	170MM	1 NOS
697	REDUCTION FORCEPS SERRATED SPEED LOCK	200MM	1 NOS
698	REDUCTION FORCEPS SERRATED SPEED LOCK	240MM	1 NOS
699	REDUCTION FORCEPS SERRATED SPEED LOCK	280MM	1 NOS
700	PATELLA BONE HOLDING FORCEPS	4 PRONGED	1 NOS
701	BONE AND PLATE HOLDING FORCEPS-	GENERAL FOR TIBIA	1 NOS
702	BONE AND PLATE HOLDING FORCEPS-	GENERAL FOR FEMUR	1 NOS
703	BONE HOLDING FORCEPS WITH RACHET LOCK	200MM	1 NOS
704	BONE HOLDING FORCEPS WITH RACHET LOCK	250MM	1 NOS
705	BONE HOLDING FORCEPS WITH RACHET LOCK	300MM	1 NOS
706	REDUCTION FORCEPS POINTED SPEED LOCK	140MM	1 NOS
707	REDUCTION FORCEPS POINTED SPEED LOCK	170MM	1 NOS
708	REDUCTION FORCEPS POINTED SPEED LOCK	200MM	1 NOS
709	REDUCTION FORCEPS POINTED SPEED LOCK	240MM	1 NOS
710	REDUCTION FORCEPS POINTED SPEED LOCK	280MM	1 NOS
711	BONE NIBBLER DOUBLE ACTION	CURVED 190MM	1 NOS
712	BONE NIBBLER DOUBLE ACTION	CURVED 225MM	1 NOS
713	BONE NIBBLER DOUBLE ACTION	CURVED 270MM	1 NOS
714	BONE NIBBLER DOUBLE ACTION	STRAIGHT 190MM	1 NOS

Handwritten signature and date: 6/12-24

715	BONE NIBBLER DOUBLE ACTION	STRAIGHT 225MM	1 NOS
716	BONE NIBBLER DOUBLE ACTION	STRAIGHT 270MM	1 NOS
717	BONE CUTTING FORCEPS DOUBLE ACTION	STRAIGHT 190MM	1 NOS
718	BONE CUTTING FORCEPS DOUBLE ACTION	STRAIGHT 225MM	1 NOS
719	BONE CUTTING FORCEPS DOUBLE ACTION	STRAIGHT 270MM	1 NOS
720	BONE CUTTING FORCEPS DOUBLE ACTION	CURVED 190MM	1 NOS
721	BONE CUTTING FORCEPS DOUBLE ACTION	CURVED 225MM	1 NOS
722	BONE CUTTING FORCEPS DOUBLE ACTION	CURVED 270MM	1 NOS
723	BONE FILE	100MM	1 NOS
724	BONE FILE	150MM	1 NOS
725	CRUTCHFIELD TONG WITH 2 BURRS -	MEDIUM	1 NOS
726	DISTRATOR FOR TIBIA AND FEMUR		1 NOS
727	SKIN GRAFTING BLADE	NAME-FSEMMANN STANDARD	1 NOS
728	F-TOOL	SMALL	1 NOS
729	F-TOOL	LARGE	1 NOS
730	PERIARTICULAR REDUCTION FORCEPS (MEDIUM WITH POINTED BALL TIPS)		1 NOS


Manish
6/12/24

LIST OF ITEMS QUOTED
(To be submitted with Cover-A: Technical Bid)

Sl. No.	Sl. No. of the Item (As per item List in Pro Forma-(Annexure-I)	Name of the Item	Specification	Manufacturer/ Authorised Manufacturer Name
1	2	3	4	5

Authorised Signatory
(Signature and seal of the Authorised Signatory)

Place:
Date:



CHECK LIST PROFORMA FOR TECHNICAL BID
INFORMATION ABOUT THE BIDDER

(To be furnished in Cover "A" Technical Bid)

(Please arrange the documents serially in the following order and make the page numbering of the entire bid document and mention page no. in the column "Page no." against the particulars in the check list as mentioned below for ease of scrutiny)

Sl. No.	Particulars	Submitted		Document Page No.
		Yes	No	
1	Name of the Bidder			
2	Address of the Bidder			
3	Tender Paper Cost (Non-refundable) DD of Rs.3000/-			
4	EMD (Earnest Money Deposit) DD of Rs.50,000/-			
5	Up to date MSME Certificate			
6	Affidavit in Rs.20/- Stamp Paper for not being blacklisted. (As per Annexure-V)			
7	List of Quoted Item (in given format (Annexure-I) for total list of 730 items			
8	Manufacturer's Authorization Certificate in original for distributor/Wholesaler (Annexure-VI)			
9	Copy of Valid Manufacturing License for Bio-Medical Waste Management and General Waste Items of Manufacturer			
10	Certified Copy of Valid ISO Certificate of Manufacturer			
11	Certified Copy of Valid CE Certificate of Manufacturer			
12	Photo copy of Valid PAN Card			
13	Photo copy of Valid GST Registration Certificate			
14	Photo copy of GST Return for the last Quarter shall be submitted.			
15	Proof of Annual Turnover (Rs.50 lakhs or more) for last three-year financial years (2021-2022, 2022-2023 & 2023-2024) taken together from a registered Chartered Accountant			
16	Audited Financial Statement by Regd.C.A. of last three-year F.Ys. (2021-2022, 2022-2023 & 2023-2024) which includes ITR, Profit & Loss A/c & Balance Sheet shall be submitted.			
17	Performance report/End User Certificate during last three F.Ys (2021-2022, 2022-2023 & 2023-2024) regarding supply of of quoted items to any Govt. Hospital/Govt. Institution/Corporate Hospital/PSU Hospital/UN Agency) Purchase order in support shall be submitted.			
18	Undertaking Certificate of Price not more than the market price or also under GEM rate contract where such rate exists. (Annexure-VII)			
19	Copy of original Tender and schedules, duly signed by the Bidder			

Authorised Signatory
(Signature and seal of the Authorised Signatory)

Place:

Date:

Handwritten Signature
6/12/24


PROFORMA FOR FINANCIAL BID

Sl. No.	Sl. No. of items as per items list (Annexure-I)	Name of the Items	Specificati on (Piece/Pac ket/ ML/ Litre/ Kg/ Gm)	Name of the Manufact urer	Each Rate (Rs.) Exclusive of all taxes	GST in %	Each Rate (Rs.) Inclusive of all taxes
1	2	3	4	5	6	7	8

Authorised Signatory
(Signature and seal of the Authorised Signatory)

Place:

Date:



DECLARATION FORM BY THE BIDDER

(Affidavit from Notary Public or Executive Magistrate with Rs.20/- Non-judicial Stamp Paper)

I/We having our
office at

do declare that I/we have carefully read all the terms & conditions of tender of Superintendent, Government Medical College & Hospital, Sundargarh, Health & Family Welfare Department, Government of Odisha for the supply of Instrument and Equipment. The approved rate will remain valid for a period of one year from the date of approval. I/We will abide by all the terms & conditions set forth in the Tender No...../GMCH/SNG Dated

I/We do hereby declare that I/we have not been de-recognised / black listed by any State Government / Union Territory / Government of India / any other Organisation for any reason.

I/We further declare that I/we possess valid documents as per the terms and conditions of the tender. Tender inviting Authority, can, at any time, physically verify the original documents or get clarifications in this regard from any authority, as deemed proper.

Signature of the bidder/ bidders with Seal
Name & Address of the Firm

Place:
Date:

[Handwritten Signature]
6.12.29

MANUFACTURER'S AUTHORISATION FORMAT

To,
The Superintendent,
Government Medical College & Hospital,
Sundargarh.

Sub: LETTER OF AUTHORISATION.

Ref: Tender No...../GMCH/SNG, Dated.....

Madam/Sir,
I/We..... Who are established and reputed
manufacturers of having factories at
..... do hereby authorize to submit
the bid and sign the contract as per the above referred tender and also true raise
bills, collect payment, as per rule.

I/We also extend our full guarantee for the items quoted by
..... as
per the terms and conditions in the above referred tender.

Yours faithfully,

Authorised Signatory

Handwritten signature
5.12.24

UNDERTAKING

I/We _____ having
My/our _____ office at _____

do hereby declare that I/We will supply the ordered items after becoming lowest responsive bidder as per tender terms, conditions, specification [Bid Reference No. _____ Dtd. _____] and conditions as laid down in the purchase order.

I/We declared that the Tender Inviting Authority **can blacklist me/us for a period of 3 years** if we withdraw bid after opening of price bid and / or approval of rate contract or unable to supply ordered items at approved rate within the stipulated period.

I/We further declare that the price quoted is not more than the Open Market Price or also under GEM rate contract where such rate exists.

Signature of the Bidder :
Full Name :
Mobile No. :
Date. :

Handwritten signature
6/12/24

ANNUAL TURNOVER STATEMENT

The Annual Turnover of M/s _____
 _____ Who is a wholesaler/ distributor/ drug supplier for the
 last three years are given below and certified that the statement is true and correct.

Sl. No.	Year	Turnover in Rupees (Rs.)
1	2021-2022	
2	2022-2023	
3	2023-2024	

Date:

Place:

Signature of Chartered Accountant

(Name in Capital)

Registration No.

Seal

P. Prasad
 6.12.24